GVS-65 & GVS-90
Gas Venting Solutions
Pipe & Fittings

Rated For Maximum Flue Gas Temperatures of 65°C and 90°C.

Canadian National Price List
List No: P-GVS6590-PLV15
Effective: March 3, 2025
Replaces: February 9, 2024
All Prices are Taxes Extra







ULC S636

Certified to ULC S636

Westlake
Pipe & Fittings

GVS-65 & GVS-90 Gas Venting Solutions

Please Note:

Westlake Pipe & Fittings GVS-65 and GVS-90 Gas Venting Solutions pipe and fittings must be installed according to the published installation instructions by a qualified professional.



Westlake Pipe & Fittings GVS-65 and GVS-90 components (pipe, fittings, accessories, solvent cements and primer) must be installed as a system. **DO NOT** use components from other manufacturers with GVS-65 and GVS-90 components.



Certified to ULC S636

Gas Venting Solutions - GVS-65 (PVC)

GVS-65 Pipe & Fittings are white in color and rated for flue gas temperatures up to and including 65°C

Description (Pipe/Fittings)	Product Code	Alternate Code	Size (in.)	Crate (Feet)/ Carton Quantity	List Price Each ($)
PVC Gas Vent Pipe *(Certified to ULC S636, Type BH Class IIA - Maximum Temperature Rating of 65°C)*					
	S40GV01510WHPE	194003	1½	1,510	$505.00/100 ft.
	S40GV02010WHPE	194000	2	1,050	$806.00/100 ft.
	S40GV02510WHPE	194004	2½	780	$1,276.00/100 ft.
	S40GV03010WHPE	194001	3	580	$1,876.00/100 ft.
	S40GV04010WHPE	194002	4	510	$2,270.00/100 ft.
PVC Coupling *(H x H) (Certified to ULC S636, Type BH Class IIA - Maximum Temperature Rating of 65°C)*					
	32GVCOUP015HH	196452	1½	25	$3.90
	32GVCOUP02HH	196352	2	70	$5.25
	32GVCOUP025HH	196454	2½	20	$9.30
	32GVCOUP03HH	196353	3	60	$11.70
	32GVCOUP04HH	196354	4	30	$20.20
PVC Long Coupling *(H x H) (Certified to ULC S636, Type BH Class IIA - Maximum Temperature Rating of 65°C)*					
	32GVDCOUP02HH	196453	2	20	$8.60
	32GVDCOUP03HH	196455	3	25	$19.40
PVC Increaser Coupling *(H x H) (Certified to ULC S636, Type BH Class IIA - Maximum Temperature Rating of 65°C)*					
	52GVIN01502INCHH	196362	1½ x 2	150	$9.70
	52GVIN0203INCHH	196364	2 x 3	45	$18.50
	52GVIN0204INCHH	196365	2 x 4	30	$24.35
	52GVIN0304INCHH	196366	3 x 4	30	$27.90
PVC Reducer Bushing *(H x Sp) (Certified to ULC S636, Type BH Class IIA - Maximum Temperature Rating of 65°C)*					
	52GVIN05015INCHS	196653	½ x 1½	160	$3.50
	52GVIN01502INCHS	196282	1½ x 2	80	$4.65
	52GVIN015025INCHS	196666	1½ x 2½	60	$8.35
	52GVIN02025INCHS	196667	2 x 2½	60	$8.80
	52GVIN0203INCHS	196284	2 x 3	50	$9.15
	52GVIN02503INCHS	196673	2½ x 3	20	$9.80
PVC Hex Head Reducer Bushing *(H x Sp) (Certified to ULC S636, Type BH Class IIA - Maximum Temperature Rating of 65°C)*					
	52GVHHIN0203INCHS	196672	2 x 3	20	$20.30

Canadian National Price List
List No: P-GVS6590-PLV15


Gas Venting Solutions - GVS-65 (PVC)

GVS-65 Pipe & Fittings are white in color and rated for flue gas temperatures up to and including 65°C

Description (Pipe/Fittings)	Product Code	Alternate Code	Size (in.)	Crate (Feet)/ Carton Quantity	List Price Each ($)
PVC 90° Elbow *(H x H) (Certified to ULC S636, Type BH Class IIA - Maximum Temperature Rating of 65°C)*					
	26GV9002HH	196035	2	50	$8.85
	26GV90025HH	196525	2½	10	$18.65
	26GV9003HH	196025	3	25	$23.85
PVC 90° Elbow *(H x Sp) (Certified to ULC S636, Type BH Class IIA - Maximum Temperature Rating of 65°C)*					
	26GV9002HS	196232	2	60	$7.70
	26GV9003HS	196233	3	15	$21.75
PVC 90° Long Elbow *(H x H) (Certified to ULC S636, Type BH Class IIA - Maximum Temperature Rating of 65°C)*					
	25GVL90015HH	196121	1½	120	$7.20
	25GVL9002HH	196122	2	55	$9.15
	25GVL9003HH	196123	3	23	$23.80
	25GVL9004HH	196124	4	20	$47.70
PVC 90° Extra Long Elbow *(H x H) (Certified to ULC S636, Type BH Class IIA - Maximum Temperature Rating of 65°C)*					
	25GV9002HH	196022	2	40	$9.65
	25GV9003HH	196023	3	15	$25.20
PVC 45° Elbow *(H x H) (Certified to ULC S636, Type BH Class IIA - Maximum Temperature Rating of 65°C)*					
	26GV45015HH	196241	1½	175	$5.00
	26GV4502HH	196242	2	110	$7.60
	26GV45025HH	196487	2½	10	$16.85
	26GV4503HH	196243	3	25	$20.60
	26GV4504HH	196244	4	20	$35.95
PVC 45° Elbow *(H x Sp) (Certified to ULC S636, Type BH Class IIA - Maximum Temperature Rating of 65°C)*					
	26GV4502HS	196071	1½	50	$9.30
PVC 45° Long Turn Elbow *(H x H) (Certified to ULC S636, Type BH Class IIA - Maximum Temperature Rating of 65°C)*					
	25GVL4502HH	196010	2	45	$8.85
	25GVL4503HH	196011	3	20	$22.90


Gas Venting Solutions - GVS-65 (PVC)

GVS-65 Pipe & Fittings are white in color and rated for flue gas temperatures up to and including 65°C

Description (Pipe/Fittings)	Product Code	Alternate Code	Size (in.)	Crate (Feet)/ Carton Quantity	List Price Each ($)
PVC 22½° Elbow *(H x H) (Certified to ULC S636, Type BH Class IIA - Maximum Temperature Rating of 65°C)*					
	26GV2202HH	196252	2	45	$13.15
PVC Sanitary Tee *(H x H X H) (Certified to ULC S636, Type BH Class IIA - Maximum Temperature Rating of 65°C)*					
	06GV015015015HHH	196081	1½	110	$9.80
	06GV020202HHH	196082	2	35	$15.35
	06GV025025025HHH	196781	2½	10	$22.80
	06GV0202015HHH	196056	2 x 1½	40	$12.55
	06GV030303HHH	196083	3	17	$27.40
	06GV0303015HHH	196061	3 x 1½	30	$26.85
	06GV030302HHH	196822	3 x 2	10	$33.90
	06GV040404HHH	196084	4	5	$43.20
	06GV040402HHH	196828	4 x 2	5	$57.00
PVC Female Adapter *(H x FPT) (Certified to ULC S636, Type BH Class IIA - Maximum Temperature Rating of 65°C)*					
	18GV0202HFPT	196564	2	20	$7.50
PVC Hose Barb *(Sp x B) (Certified to ULC S636, Type BH Class IIA - Maximum Temperature Rating of 65°C)*					
	94GVHB01505SB	196278	1½ x ½	80	$4.65
PVC Test Bushing c/w Plug *(Sp x FPT) (Certified to ULC S636, Type BH Class IIA - Maximum Temperature Rating of 65°C)*					
	94GVTB0205SFPT	196143	2 x ½	10	$17.90


Gas Venting Solutions - GVS-90 (CPVC)

GVS-90 Pipe & Fittings are grey in color and rated for flue gas temperatures up to and including 90°C

Description (Pipe/Fittings)	Product Code	Alternate Code	Size (in.)	Crate (Feet)/ Carton Quantity	List Price Each ($)
CPVC Gas Vent Pipe *(Certified to ULC S636, Type BH Class IIB - Maximum Temperature Rating of 90°C)*					
	S40CPVCGV01510GYPE	198003	1½	1,510	$1,751.00/100 ft.
	S40CPVCGV02010GYPE	198001	2	1,050	$2,299.00/100 ft.
	S40CPVCGV02510GYPE	198004	2½	780	$3,643.00/100 ft.
	S40CPVCGV03010GYPE	198000	3	580	$4,743.00/100 ft.
	S40CPVCGV04010GYPE	198002	4	510	$6,742.00/100 ft.
	S40CPVCGV06010GYPE	198005	6	260	$9,215.00/100 ft.
CPVC Coupling *(H x H) (Certified to ULC S636, Type BH Class IIB - Maximum Temperature Rating of 90°C)*					
	32GVFCOUP015HH	197136	1½	10	$10.15
	32GVFCOUP02HH	197137	2	10	$14.35
	32GVFCOUP025HH	197138	2½	5	$26.50
	32GVFCOUP03HH	197139	3	5	$35.65
	32GVFCOUP04HH	197023	4	5	$46.30
	32GVFCOUP06HH	197141	6	5	$150.00
CPVC Increaser Coupling *(H x H) (Certified to ULC S636, Type BH Class IIB - Maximum Temperature Rating of 90°C)*					
	52GVFIN0203INCHH	197470	3 x 2	5	$48.15
	52GVFIN0304INCHH	197472	4 x 3	5	$79.00
CPVC Hex Head Reducer Bushing *(H x Sp) (Certified to ULC S636, Type BH Class IIB - Maximum Temperature Rating of 90°C)*					
	52GVFIN0502INCHS	197385	½ x 2	80	$10.45
	52GVFIN07502INCHS	197386	¾ x 2	10	$11.35
	52GVFIN01502INCHS	197389	1½ x 2	10	$11.75
	52GVFIN0203INCHS	197394	2 x 3	10	$27.00
	52GVFIN02503INCHS	197395	2½ x 3	10	$27.85
	52GVFIN0204INCHS	197396	2 x 4	20	$46.50
	52GVFIN0406INCHS	197400	4 x 6	10	$177.00
CPVC 90° Elbow *(H x H) (Certified to ULC S636, Type BH Class IIB - Maximum Temperature Rating of 90°C)*					
	26GVF9002HH	197199	2	15	$25.55
	26GVF9003HH	197201	3	5	$66.00
	26GVF9004HH	197202	4	5	$117.00
	26GVF9006HH	197203	6	5	$257.00
CPVC 90° Long Elbow *(H x H) (Certified to ULC S636, Type BH Class IIB - Maximum Temperature Rating of 90°C)*					
	25GVFL9002HH	197122	2	55	$19.55
	25GVFL9003HH	197123	3	23	$48.70
	25GVFL9004HH	197124	4	20	$90.00
	25GVFL9006HH	197125	6	5	$289.00

Gas Venting Solutions - GVS-90 (CPVC)


GVS-90 Pipe & Fittings are grey in color and rated for flue gas temperatures up to and including 90°C

Description (Pipe/Fittings)	Product Code	Alternate Code	Size (in.)	Crate (Feet)/ Carton Quantity	List Price Each ($)
CPVC 45° Elbow *(H x H) (Certified to ULC S636, Type BH Class IIB - Maximum Temperature Rating of 90°C)*					
	26GVF4502HH	197169	2	10	$19.85
	26GVF4503HH	197171	3	5	$56.00
	26GVF4504HH	197172	4	5	$90.00
	26GVF4506HH	197173	6	5	$222.00
CPVC Tee (H x H x H) *(Certified to ULC S636, Type BH Class IIB - Maximum Temperature Rating of 90°C)*					
	09GVF020202HHH	197486	2	10	$35.90
	09GVF030303HHH	197488	3	5	$79.00
	09GVF030302HHH	197502	3 x 2	5	$70.00
	09GVF040404HHH	197489	4	5	$109.00
	09GVF040402HHH	197504	4 x 2	5	$117.00
	09GVF060606HHH	197490	6	4	$379.00
	09GVF060604HHH	197506	6 x 4	4	$348.00
CPVC Female Adapter *(H x FPT) (Certified to ULC S636, Type BH Class IIB - Maximum Temperature Rating of 90°C)*					
	18GVF0202HFPT	197224	2	10	$15.95
CPVC Hose Barb *(Sp x B) (Certified to ULC S636, Type BH Class IIB - Maximum Temperature Rating of 90°C)*					
	94GVFHB01505SB	197278	½ x 1½	80	$10.30
CPVC Test Bushing c/w Plug *(Sp x FPT) (Certified to ULC S636, Type BH Class IIB - Maximum Temperature Rating of 90°C)*					
	94GVFTB0205SFPT	197143	2	10	$41.30
CPVC Condensate Drain Assembly *(Sp x FPT) (Certified to ULC S636, Type BH Class IIB - Maximum Temperature Rating of 90°C)*					
	94GVF0504CDAFS	197002	½ x 4	1	$164.00
	94GVF0506CDAFS	197003	½ x 6	1	$293.00

Gas Venting Solutions - Accessories

Description (Pipe/Fittings)	Product Code	Alternate Code	Size (in.)	Crate (Feet)/ Carton Quantity	List Price Each ($)
GVS-65 PVC Concentric Vent Kits *(Certified to ULC S636, Type BH Class IIA - Maximum Temperature Rating of 65°C)*					
	52CVKGVS6502	196005	2 x 16	1	$188.00
	52CVKGVS6502-28	196105	2 x 28	1	$215.00
	52CVKGVS6502-40	196125	2 x 40	1	$232.00
	52CVKGVS6503	196006	3 x 20	1	$252.00
	52CVKGVS6503-32	196106	3 x 32	1	$274.00
	52CVKGVS6503-44	196116	3 x 44	1	$295.00
	52CVKGVS6504	196021	4 x 36	1	$590.00
GVS-90 CPVC Concentric Vent Kits *(Certified to ULC S636, Type BH Class IIB - Maximum Temperature Rating of 90°C)*					
	52CVKGVSF9003	197009	3 x 20	1	$448.00
	52CVKGVSF9003-32	197107	3 x 32	1	$485.00
	52CVKGVSF9003-44	197117	3 x 44	1	$517.00
	52CVKGVSF9004-36	197021	4 x 36	1	$1,055.00
GVS-65 PVC Wall Vent Kits *(Certified to ULC S636, Type BH Class IIA - Maximum Temperature Rating of 65°C)*					
	52WTVKGVS6502	081216	2	1	$158.00
	52WTVKGVS65025	081218	2½	1	$232.00
	52WTVKGVS6503	081219	3	1	$263.00
GVS-65 PVC Side Wall Vent Kits *(Certified to ULC S636, Type BH Class IIA - Maximum Temperature Rating of 65°C)*					
	52SWVKGVS6502	196984	2	1	$76.00
	52SWVKGVS6503	196985	3	1	$76.00
GVS-65 PVC Faceplate *(Round - Self Foam Back - White)*					
	94GVWHTROUDFP02	196063	2	65	$29.60
	94GVWHTROUDFP03	196064	3	65	$36.50
	94GVWHTROUDFP04	196055	4	65	$42.65
GVS-90 CPVC Faceplate *(Round - Self Foam Back - Grey)*					
	94GVGRYROUDFP02	197053	2	65	$29.15
	94GVGRYROUDFP03	197054	3	65	$35.35
	94GVGRYROUDFP04	197055	4	65	$40.60
GVS-65 PVC Faceplate *(Rectangular - Self Foam Back - White)*					
	94GVWHTRECTFP02	196216	2	65	$51.55
	94GVWHTRECTFP025	196218	2½	65	$52.65
	94GVWHTRECTFP03	196219	3	65	$51.95

Gas Venting Solutions - Accessories

Description (Pipe/Fittings)	Product Code	Alternate Code	Size (in.)	Crate (Feet)/ Carton Quantity	List Price Each ($)
Termination Vent Screens					
	99GV02SCREEN	196050	2	250	$6.80
	99GV03SCREEN	196051	3	100	$17.10
	99GV04SCREEN	196052	4	75	$20.50
	99GV06SCREEN	196090	6	5	$35.40
Deburring Tools					
	99GVDEBTOOL01503	196049	1½ - 3 Pipe	6	$137.00
	99GVDEBTOOL04	196048	4 Pipe	6	$165.00

Gas Venting Solutions - Cements

Description (Pipe/Fittings)	Product Code	Alternate Code	Size (in.)	Crate (Feet)/ Carton Quantity	List Price Each ($)
GVS-65 PVC Solvent Cement *(ULC S636 Listed for use with GVS-65 Products)*					
	RCC40-500ML	196040	475 ml (Grey)	12	$25.35
	RCC40-1LT	196041	950 ml (Grey)	12	$42.15
GVS-65 PVC and GVS-90 CPVC Primer *(ULC S636 Listed for use with GVS-65 and GVS-90 Products)*					
	RCP40-500ML	196042	475 ml (Purple)	12	$28.80
	RCP40-1LT	196043	950 ml (Purple)	12	$46.25
	RCP40CL-500ML	196017	475 ml (Clear)	12	$31.45
	RCP40CL-1LT	-	950 ml (Clear)	12	$52.85
GVS-65 and GVS-90 PVC/CPVC/ABS Transition Cement					
	RCCABS-PVC500ML	196044	475 ml (White)	12	$28.75
	RCCABS-PVC1LT	-	950 ml (White)	12	$44.75
GVS-90 CPVC Solvent Cement *(ULC S636 Listed for use with GVS-90 Products)*					
	RCC41-500ML	196046	475 ml (Orange)	12	$35.10
	RCC41-1LT	196047	950 ml (Orange)	12	$72.00

Note: Westlake Pipe & Fittings Solvent Cements packaged in metal containers have a shelf-life of 24 months from the date of manufacture.

Westlake Pipe & Fittings Primers and Cleaners packaged in metal containers have a shelf-life of 36 months from the date of manufacture.

Westlake
Pipe & Fittings

To see our complete terms and conditions at: **www.westlakepipe.com/en-ca/terms-conditions**

www.westlakepipe.com

© 2025 Westlake Pipe and Fittings All rights reserved. PL-PL-021-CA-EN-0325.1