Z-VENT® Suggested Appliance Adaptors*

MANUFACTURER	MODEL	PART NUMBER
Absolute Boilers	Spire SP500	2SVSTTA04.5
Absolute Boilers	Spire SP(800,1000)	2SVSTTA06
Absolute Boilers	Spire SP(1500,2000)	2SVSAFNS08
Absolute Boilers	Spire SP(3000)	2SVSAFNS10
Absolute Boilers	Spire SP(4000,5000)	2SVSAFNS12
Absolute Boilers	Spire SP(6000,8000)	2SVSAFNS14
A.O. Smith	705	2SVSNA04.5
A.O. Smith	ATI-110, 240, 310, 340, 510, 540	2SVBFDPA04
A.O. Smith	ATIO-910	2SVBFDPA05
A.O. Smith	GB & GW 1000	2SVSA10
A.O. Smith	GB & GW 1300 & 1500	2SVSA12
A.O. Smith	GB & GW 1850 & 2100	2SVSA14
A.O. Smith	GB & GW 2500	2SVSA16
A.O. Smith	GB & GW 650 & 750	2SVSA08
A.O. Smith	GB & GW-300	2SVSA05
A.O. Smith	GB & GW-400 & 500	2SVSA06
A.O. Smith	Genisis GB & GW-200	2SVSNA04.5
A.O. Smith	Legend 2000 LB & LW	2SVSA06
A.O. Smith	Legend 2000 LB & LW-1000	2SVSA07
A.O. Smith	Pro Star XT	2SVSNA04.5
A.O. Smith	VF VWH0500(N,L)	2SVSNA04.5
A.O. Smith	VF VWH0750(N,L)	2SVSA05
A.O. Smith	VF VWH(1000,1500)(N,P)	2SVSA06
A.O. Smith	VF VWH2000(N,P)	2SVSA08
Ace	Liberty US US400-600 (H,WH)	2SVSTTA04.5
Ace	Liberty US US700-800 (H,WH)	2SVSTTA06
ADP Advanced Distributor Products	FSA(30,45) & FOA45	2SVSA2 8MBS03 seal with Include Sealant**
ADP Advanced Distributor Products	FSA(60,75)	2SVSUHA04 Sealant may be Required **
ADP Advanced Distributor Products	FOA(100,125,150,250)	2SVSA05
ADP Advanced Distributor Products	FOA300	2SVSA06
ADP Advanced Distributor Products	UHCM-(125, 150)(N,P)(A,S)-1	2SVALUH4 Seal with Included Sealant **
ADP Advanced Distributor Products	UHCM-(175, 200, 250, 300)(N,P)(A,S)-1	2SVSA05 Sealant Required**
ADP Advanced Distributor Products	UHCM-(350,400)(N, P)(A,S)-1	2SVSA06 Sealant Required**
ADP Advanced Distributor Products	UHRS-(30, 45, 60, 75, 90, 105)(N,P)A-1	2SVALUH4 Seal with Included Sealant **
Advanced Thermal Hydronics	KN Series Plus+, KN16+, KN20+	2SVSAFNS06

Canada: 452 Attwell Drive, Etobicoke, ON M9W 5C3 tel: 416.679.0045 • fax: 416.679.0051
U.S.A : 20 Commerce Park North, Bedford, New Hampshire 03110 tel: 603.669.5136 • fax: 888.889.3539 • 800.654.5600

rev 30.07.2026

Z-VENT® Suggested Appliance Adaptors*

MANUFACTURER	MODEL	PART NUMBER
Advanced Thermal Hydronics	KN Series Plus+, KN26+, KN30+	2SVSAFNS08
Advanced Thermal Hydronics	KN Series Plus+, KN40+	2SVSAFNS10
Advanced Thermal Hydronics	KN Series Plus+, KN6+, KN10+	2SVSAFNS05
Advanced Thermal Hydronics	KN Series, KN-16, KN-20	2SVSAFNS06
Advanced Thermal Hydronics	KN Series, KN-26, KN-30	2SVSAFNS08
Advanced Thermal Hydronics	KN Series, KN-40	2SVSAFNS10
Advanced Thermal Hydronics	KN Series, KN-6, KN-10	2SVSAFNS04
Aerco	AM 199R, 250R	2SVSPVC03
Aerco	AM 399, 500 (R,W)	2SVSPVC04
Aerco	AM 750, 1000 (R,W)	2SVSPVC06
Aerco	Benchmark BMK (750, 1000, 1500)	2SVAERBMK06 Seal with Included Sealant **
Aerco	Benchmark BMK (2000, 2500, 3000)	2SVAERBMK08 Seal with Included Sealant **
Aerco	Benchmark BMK 4000	2SVAERBMK12 Seal with Included Sealant **
Aerco	Benchmark BMK (5000, 6000)	2SVAERBMK14 Seal with Included Sealant **
Aerco	Innovation INN 600,800,1060,1350,1400	2SVAERBMK06
Aerco	KC-1000	2SVSA06
Aerco	MFC (4000, 5000)	2SVSAAMFC12
Aerco	MFC (8000, 10000)	2SVSAAMFC16
Aerco	MFC 3000	2SVSAAMFC10
Aerco	MFC 6000	2SVSAAMFC14
Aerco	Modulex MLX (303,454,606)	Standard Vent Pipe 4" Sealant Required**
Aerco	Modulex MLX (757,909,1060)	Standard Vent Pipe 6" Sealant Required**
Aerco	Modulex MLX EXT (1500,1530,1912)	2SVAAMLXEXT10
Aerco	Modulex MLX EXT (2295-3060)	2SVAAMLXEXT12
Aerco	Modulex MLX EXT (321,450,481)	2SVAAMLXEXT4
Aerco	Modulex MLX EXT (600-1123)	2SVAAMLXEXT6
Ajax	Goldstar GS-10, GS-15	Standard Vent Pipe, 6", 8" Sealant Required**
Aldrich Company	Classic Series A3S-580	2SVSA06
Aldrich Company	Classic Series A3S-800, 1000, 1250, 1500	2SVSA08
Aldrich Company	Classic Series A3S-1800, 2070, 2250	2SVSA10
Aldrich Company	Classic Series A3S-2650, 2760, 3000, 3350, 3680,4040	2SVSA12
Allied Commercial	LF25-(125, 150)S-1	2SVALUH4 Seal with Included Sealant **
Allied Commercial	LF25-(175, 200, 250, 300)	2SVSA05 Sealant Required**

Canada: 452 Attwell Drive, Etobicoke, ON M9W 5C3 tel: 416.679.0045 • fax: 416.679.0051
U.S.A.: 20 Commerce Park North, Bedford, New Hampshire 03110 tel: 603.669.5136 • fax: 888.889.3539 • 800.654.5600

Z-VENT® Suggested Appliance Adaptors*

MANUFACTURER	MODEL	PART NUMBER
Allied Commercial	LF25-(30, 45, 60, 75, 90, 105, 125, 150) A-1	2SVALUH4 Seal with Included Sealant **
Allied Commercial	LF25-(350, 400)	2SVSA06 Sealant Required**
Beacon Morris	BRU(30, 45, 60, 75, 90)	2SVSUHA04 Sealant may be Required**
Beacon Morris	BRT(30, 45, 60, 75, 90, 105, 120)	2SVASGPGG04 Seal with Included Sealant **
Beacon Morris	BTU(100, 125, 150, 175, 200, 250)	2SVSUHA05 Sealant may be Required**
Beacon Morris	BTU(300, 350, 400)	2SVSUHA06 Sealant may be Required**
Beacon Morris	BXF 100-250	2SVASGPXF05
Beacon Morris	BXF300-400	2SVASGPXF06
Beacon Morris	Unit Heaters - Fresh Air Intake Adaptor	2SVASGPI05 Seal with Included Sealant **
Bosch	125 FX	2SVFX04
Bosch	240 FX	2SVSNA04.5
Bosch	425 EF	2SVFX04
Bosch	830ES	Standard Vent Pipe 3"
Bosch	Aquastar 2400E(NG,LP)	Standard Vent Pipe 3"
Bosch	Aquastar 250SX(NG,LP)	Standard Vent Pipe 3"
Bosch	Aquastar GWH2400ES(NG,LP)	Standard Vent Pipe 3"
Bosch	Aquastar GWH2700ES(NG,LP)	Standard Vent Pipe 3"
Bosch	Buderus SSB (800,1000) SA	2ZVARA6
Bosch	Buderus SSB 1000 TL	2ZVARA10
Bosch	Buderus SSB255	2SVSTTA03
Bosch	Buderus SSB85, 120, 160	2SVSTTA023
Bosch	GHW-635 ES	Standard Vent Pipe 3"
Bradford White	eF Series 60T(125,150,199), 100T(150,199,250,300)	2SVSACPVC3
Brant Radiant	DES3 Series DES3-20-50 Through DES3-70-200	2SVSAHD04
Brant Radiant	DET3 Series DET3-20-65 Through DET3-60-200	2SVSAHD04
Brant Radiant	DST Series DST-60	2SVSAHD04
Brant Radiant	DX2 Series DX2-20-50 Through DX2-80-200	2SVSAHD04
Brant Radiant	DX2(-SB)(-SS) Series DX2-20-50 Through DX2-80-200	2SVSAHD04
Brant Radiant	DX3L Series DX3L-20-50 Through DX3L-80-200	2SVSAHD04
Brant Radiant	FA Series, FA-100, 125	2SVABR4
Brant Radiant	FA Series, FA-150, 175, 200, 225, 250	2SVABR6
Brant Radiant	HL2 Series HL2-20-65 Through HL2-70-200	2SVSAHD04

Z-VENT® Suggested Appliance Adaptors*

MANUFACTURER	MODEL	PART NUMBER
Brant Radiant	HL2(-SB)(-SS) Series HL2-20-65 Through HL2-70-200	2SVSAHD04
Brant Radiant	HL3 Series HL3-20-65 Through HL3-70-200	2SVSAHD04
Brant Radiant	HLV Series HLV-40 Through HLV-200	2SVEVDP04 (When Terminating Horizontally)
Brant Radiant	HLV Series HLV-40 Through HLV-200	2SVEVWC04 (When Terminating Vertically)
Brant Radiant	MP Series MP-25-80 Through MP-70-200	2SVSAHD04
Brant Radiant	SE2 Series SE2-20-50 Through SE2-80-200	2SVSAHD04
Brant Radiant	ST2 Series ST2-20-65 Through ST2-60-200	2SVSAHD04
Brant Radiant	UH Series, UH-30, 45	2SVABR4 & 2SVSR0403
Brant Radiant	UH Series, UH-60, 75	2SVABR4
Bryan Boilers	BFIT(400,500)	2SVSTTA04.5
Bryan Boilers	BFIT(650,800,1000L)	2SVSTTA06
Bryan Boilers	BFIT(1000,1250,1500,2000)	2SVSHF08
Bryan Boilers	BFIT(2500,3000)	2SVSHF10
Bryan Boilers	BFIT(3500,4000)	2SVSHF12
Bryan Boilers	Free Flex FF1000	2SVSHF06
Bryan Boilers	Free Flex FF1500, 2000	2SVSHF08
Bryan Boilers	Free Flex FF2500, 3000	2SVSHF10
Bryan Boilers	Free Flex FF(3500,4000)	2SVSHF12
Bryan Boilers	Free Flex FF(4500,5000,5500,6000)	2SVSHF14
Buderus	G115 Series	2SVSNA04.5, 2SVSA05
Buderus	G124X	2SVB03
Buderus	GA124	2SVB03
Buderus	GA244/ 37, 44, 53	2SVB03
Buderus	GA244/ 62	2SVB04
Buderus	GB142	2SVSNA03.5
Buderus	GB312	2SVSGBA06, 08
Buderus	SB615-145,185	2SVSBA07
Buderus	SB615-240,310	2SVSBA08
Buderus	SB615-400	2SVSBA10
Buderus	SB615-510,640	2SVSBA12
Buderus	SB625WS(160,220)	2SVSAEDR8
Buderus	SB625WS(290,370)	2ZVARRTC10
Buderus	SB625WS(480,640)	2ZVARRTC12
Buderus	SB745WS(800,1050)	2ZVARRTC14
Buderus	SB745WS1300	2ZVARRTC16
Buderus	SB745WS1550	2ZVARRTC18
Burnham	Independence PV	2SVSHF03
Burnham	Minute Man II	2SVSHF03
Burnham	PVG/SCG Series	2SVSHF03

Canada: 452 Attwell Drive, Etobicoke, ON M9W 5C3 tel: 416.679.0045 • fax: 416.679.0051
U.S.A.: 20 Commerce Park North, Bedford, New Hampshire 03110 tel: 603.669.5136 • fax: 888.889.3539 • 800.654.5600

Z-VENT® Suggested Appliance Adaptors*

MANUFACTURER	MODEL	PART NUMBER
Burnham	Revolution	2SVSHF03
Burnham	Series 2PV	2SVSTA03
Burnham	Spirit	2SVSHF03
Burnham	VII Series	2SVSA08,10,12,14,16
Burnham Commercial	(_ ,LN)C(L,W,PW,P)-(20,30)-G	2SVSA7.56MBS08
Burnham Commercial	(_ ,LN)C(L,W,PW,P)-(40,50,60)-G	2SVSA9.56MBS10
Burnham Commercial	(_ ,LN)C(L,W,PW,P)-(70,80,90,100)-G	2SVSA11.56MBS12
Burnham Commercial	(_ ,LN)C(L,W,PW,P)-(125,150,175,200)-G	2SVSA15.56MBS16
Burnham Commercial	MPC, MPC13-MPC18	2SVSABC12
Burnham Commercial	MPC, MPC4-MPC5	2SVSABC07
Burnham Commercial	MPC, MPC6-MPC8	2SVSABC08
Burnham Commercial	MPC, MPC9-MPC12	2SVSABC10
Burnham Commercial	V11, V1104H-V1106H	2SVSABC08
Burnham Commercial	V11, V1107H-V1109H	2SVSABC10
Burnham Commercial	V11, V1110H-V1113H	2SVSABC12
Burnham Commercial	V11, V1114H-V1117H	2SVSABC14
Burnham Commercial	V11, V1118H-V1121H	2SVSABC16
Burnham Commercial	V11, V1122H-V1123H	2SVSABC18
Burnham Commercial	V9, V903A-V904A	2SVSABC07
Burnham Commercial	V9, V905A-V907A	2SVSABC08
Burnham Commercial	V9, V908A-V910A	2SVSABC10
Burnham Commercial	V9, V911A-V912A	2SVSABC12
Camplux	(C,W)A528	2SVSA2.75FBS03 Sealant Required **
Camplux	(C,W)A686	2SVSA2.75FBS03 Sealant Required **
Camplux	CM264	2SVSA2.75FBS03 Sealant Required **
Camus Boiler	Advantus AV(H,W) 1200,1400	2SVSAVO07 & 2SVST07LEB & 2SVSTCD07
Camus Boiler	Advantus AV(H,W) 1600,1800	2SVSAVO08 & 2SVST08LEB & 2SVSTCD08
Camus Boiler	Advantus AV(H,W) 2000,2500	2SVSAVO09 & 2SVST09LEB & 2SVSTCD09
Camus Boiler	Advantus AV(H,W) 3000,3500, 4000	2SVSAVO10 & 2SVST10LEB & 2SVSTCD10
Camus Boiler	Advantus AV(H,W) 500, 600	2SVSAVO05 & 2SVST05LEB & 2SVSTCD05
Camus Boiler	Advantus AV(H,W) 800,1000	2SVSAVO06 & 2SVST06LEB & 2SVSTCD06
Camus Boiler	Avenger AR(H,W)(N,P)-1000	2SVSAVO06 & 2SVST06LEB & 2SVSTCD06
Camus Boiler	Avenger AR(H,W)(N,P)-1500	2SVSAVO08 & 2SVST08LEB & 2SVSTCD08
Camus Boiler	Avenger AR(H,W)(N,P)-2000, 2500	2SVSAVO09 & 2SVST09LEB & 2SVSTCD09

Z-VENT® Suggested Appliance Adaptors*

MANUFACTURER	MODEL	PART NUMBER
Camus Boiler	Avenger AR(H,W)(N,P)-3000, 3500, 4000	2SVSAVO10 & 2SVST10LEB & 2SVSTCD10
Camus Boiler	Avenger AR(H,W)(N,P)-5000, 6000	2SVSAVO14 & 2SVST14LEB & 2SVSTCD14
Camus Boiler	DynaFlame DF(N,P)H 500	2SVSA06
Camus Boiler	DynaFlame DF(N,P)H 700,1100,1200	2SVSA08
Camus Boiler	DynaFlame DF(N,P)H 1500,1750	2SVSA10
Camus Boiler	DynaFlame DF(N,P)H 2000,2500,3000	2SVSA12
Camus Boiler	DynaForce DR(N,P)(H,W)0300	2SVSNA04.5
Camus Boiler	DynaForce DR(N,P)(H,W)(0350, 0400)	2SVSNA04.5 + increaser required for Category II
Camus Boiler	DynaForce DR(N,P)(H,W)0500	2SVSNA04.5 + 2SVSIE0405
Camus Boiler	DynaForce DR(N,P)(H,W)0600	2SVSA05 + increaser required for Category II
Camus Boiler	DynaForce DR(N,P)(H,W)0800	2SVSA05 + 2SVSIE0506
Camus Boiler	DynaForce DR(N,P)(H,W)1000	2SVSA06 + increaser required for Category II
Camus Boiler	DynaForce DR(N,P)(H,W)1200	2SVSA06 + 2SVSIE0607 different increaser required for Category II
Camus Boiler	DynaForce DR(N,P)(H,W)(1400, 1600)	2SVSA07 + increaser required for Category II
Camus Boiler	DynaForce DR(N,P)(H,W)(1800, 2000)	2SVSA08 + increaser required for Category II
Camus Boiler	DynaForce DR(N,P)(H,W)(2500, 3000)	2SVSA09 + increaser required for Category II
Camus Boiler	DynaForce DR(N,P)(H,W)(3500, 4000)	2SVSA10 + increaser required for Category II
Camus Boiler	DynaForce DR(N,P)(H,W)(4500, 5000)	2SVSA12
Camus	DynaMax DM(C,H,W)(N,P)-060(1,2,3)	2SVSAFNS06 Cat II or 2SVSAFNS06 + 2SVSRE060(3,4) Cat IV
Camus Boiler	Microflame MFNH 060,100,150	2SVSNA03.5
Camus Boiler	Microflame MFNH 200,250	2SVSNA04.5
Camus Boiler	Microflame MFNH 300, 400	2SVSA05
Camus Boiler	Microflame MFNH 500,600	2SVSA06
Camus Boiler	Microflame II MF(H,W) 800,1000	2SVSA08
Camus Boiler	Microflame II MF(H,W) 1200,1400	2SVSA10
Camus Boiler	Microflame II MF(H,W) 1600,1800,2000	2SVSA12
Camus Boiler	Microflame Grande MF(H,W) 2000	2SVSA12
Camus Boiler	Microflame Grande MF(H,W) 2500,3000	2SVSA14
Camus Boiler	Microflame Grande MF(H,W) 3500,4000	2SVSA16
Camus Boiler	Valiant FT VA0(080, 110, 115, 199, 250, 299, 399)	2SVSLA03 or 2SVSTTA03
Camus Boiler	Valiant FT Series II VA(400, 500)	2SVSTTA04.5

Canada: 452 Attwell Drive, Etobicoke, ON M9W 5C3 tel: 416.679.0045 • fax: 416.679.0051
U.S.A.: 20 Commerce Park North, Bedford, New Hampshire 03110 tel: 603.669.5136 • fax: 888.889.3539 • 800.654.5600

Z-VENT® Suggested Appliance Adaptors*

MANUFACTURER	MODEL	PART NUMBER
Camus Boiler	Valiant FT Series II VA600	2SVSTTA04.5 + 2SVSI0406
Camus Boiler	Valiant FT Series II VA(725, 850)	2SVSTTA06
Carel	Gasteam UG45, 90, 150, 180, 300, 450	2ZD2ZV3
CleaverBrooks	ClearFire Condensing CFC(1800,2500,3300)	2ZVARRTC12 Sealant Required**
Columbia Boiler	CDV 150-200	2SVSNA04.5
Columbia Boiler	CDV 38-125	2SVSNA03.5
Condair	GN Series 100-400	2SVSNA03.5, 04.5
Condair	GS 50-CS/NX	2SVSTTA023
Condair	GS (100, 150)-CS/NX	2SVSTTA03
Condair	GS (200, 300)-CS/NX	2SVSTTA04.5
Condair	GS (450, 600)-CS/NX	2SVSTTA06
Cosmogas	TANIUM Series T(E,Z)(200,250)	2SVSPVC03
Cosmogas	TANIUM Series T(E,Z)(399,500)	2SVSPVC04
Cosmogas	TANIUM Series T(E,Z)(750,1000)	2SVSPVC06
Crown Boiler Co.	BWF(070,105,140,175,210,245)BN & BWF(063,094,126,157,189,220)BL	Standard Vent Pipe, 3" Sealant Required **
Crown Boiler Co.	BWF245BN & BWF220BL	Standard Vent Pipe, 4" Sealant Required **
Crown Boiler Co.	Bali BWF 061-162	2SVSHF03
Crown Boiler Co.	Bali BWF 195-229	Standard Vent Pipe 4" Sealant Required**
Crown Boiler Co.	Bimini BWC150, 225	2SVSHF03, 04
Crown Boiler Co.	Cabo CSC 175, 200	Standard Vent Pipe 4" Sealant Required**
Crown Boiler Co.	Cabo CSC 50-150	2SVSHF03
Crown Boiler Co.	Cabo II CDW060-245	2SVSHF03
DeDietrich	GT 430-(8, 9, 10)A	2SVSAGT43010
DeDietrich	GT 430-(11, 12, 13, 14)A	2SVSAGT43012
Detroit Radiant	CL3 Series CL3-30-65 Through CL3-50-85	2SVSAHD04
Detroit Radiant	CX3 Series CX3-30-50 Through CX3-50-85	2SVSAHD04
Detroit Radiant	DES3 Series DES3-20-50 Through DES3-80-200	2SVSAHD04
Detroit Radiant	DET3 Series DET3-20-65 Through DET3-70-200	2SVSAHD04
Detroit Radiant	DST Series DST-60	2SVSAHD04
Detroit Radiant	DX2(-SB)(-SS) Series DX2-20-50 Through DX2-80-200	2SVSAHD04
Detroit Radiant	DX3L Series DX3L-20-50 Through DX3L-80-200	2SVSAHD04
Detroit Radiant	FA Series, FA-100, 125	2SVABR4
Detroit Radiant	FA Series, FA-150, 175, 200, 225, 250, 300, 400	2SVABR6

Z-VENT® Suggested Appliance Adaptors*

MANUFACTURER	MODEL	PART NUMBER
Detroit Radiant	HL2(-SB)(-SS) Series HL2-20-65 Through HL2-70-200	2SVSAHD04
Detroit Radiant	HL3 Series HL3-20-65 Through HL3-70-200	2SVSAHD04
Detroit Radiant	HLV Series, HLV40-200	2SVEVDP04 (When Terminating Horizontally)
Detroit Radiant	HLV Series, HLV40-200	2SVEVWC04 (When Terminating Vertically)
Detroit Radiant	MP Series MP-25-80 Through MP-70-200	2SVSAHD04
Detroit Radiant	UH Series, UH-30, 45	2SVABR4 & 2SVSR0403
Detroit Radiant	UH Series, UH-60, 75	2SVABR4
Dri-Steem Corporation	GTS LX Series LX-50,75,100,150	2SVSTTA03
Dri-Steem Corporation	GTS LX Series LX-200,250,300	2SVSTTA04.5
Dri-Steem Corporation	GTS LX Series LX-400,500,600	2SVSTTA06
Dunkirk	DWB, CCB-150 or CHB-100, 130, 150	2SVSA2.8MBS03 Seal with Included Sealant * *
Dunkirk	XE Series-2 thru 5	2SVSACAF03
Dunkirk	XEB-2,3,4,5	2SVSADXEB3
Dunkirk	XEB-6,7	2SVSADXEB3 & 2SVSI0304
Easy Radiant Works	Comfortzone Brooder EZB60-20 Through EZB150-50	2SVSNA04.5
Easy Radiant Works	Comfortzone Brooder EZUB60-10 Through EZUB150-30	2SVSNA04.5
Easy Radiant Works	Comfortzone Carwash EZCW60-20 Through EZCW200-70	2SVSNA04.5
Easy Radiant Works	Comfortzone Carwash EZUCW60-10 Through EZUCW200-30	2SVSNA04.5
Easy Radiant Works	Comfortzone EZ60-20 Through EZ200-70	2SVSNA04.5
Easy Radiant Works	Comfortzone EZUU60-10 Through EZU200-30	2SVSNA04.5
Easy Radiant Works	Gasmac GM60-20 Through GM200-70	2SVSNA04.5
Easy Radiant Works	Gasmac GMU60-10 Through GMU200-30	2SVSNA04.5
Easy Radiant Works	Middleman EZM90-40 Through EZM120-60	2SVSNA04.5
Easy Radiant Works	Middleman EZUM90-20 Through EZUM120-30	2SVSNA04.5
Easy Radiant Works	Purple People Heater PPRTH50-15 Through PPRTH85-25	2SVSNA04.5
Easy Radiant Works	RW RW60-20 Through RW200-70	2SVSNA04.5
Easy Radiant Works	RW RWU60-10 Through RWU200-30	2SVSNA04.5
Easy Radiant Works	Spartan SH60-20 Through SH200-70	2SVSNA04.5
Easy Radiant Works	Spartan SHU60-10 Through SHU200-30	2SVSNA04.5
Eccotemp	FVI12	2SVPA03
Eccotemp	20HI	2NVAFF3
Eccotemp	45-HI	2ZVB04
Eccotemp	EL22i	2ZVB04

Canada: 452 Attwell Drive, Etobicoke, ON M9W 5C3 tel: 416.679.0045 • fax: 416.679.0051
U.S.A.: 20 Commerce Park North, Bedford, New Hampshire 03110 tel: 603.669.5136 • fax: 888.889.3539 • 800.654.5600

Z-VENT® Suggested Appliance Adaptors*

MANUFACTURER	MODEL	PART NUMBER
Encon	Thermal Evaporator N10	2SVSAFBS4DW Seal with Included Sealant **
Encon	Thermal Evaporator N18	2SVSAFBS4DW Seal with Included Sealant ** + 2SVDI0405
Encon	Thermal Evaporator N-24, N-28	2SVSAFBS56ZVC Seal with Included Sealant **
Encon	Thermal Evaporator N-35, N-40, N-48	2SVSAFBS6ZVC Seal with Included Sealant **
Encon	Thermal Evaporator N-60, N-72	2SVSAFBS6ZVC Seal with Included Sealant ** + 2SVDI0608V
Encon	Thermal Evaporator N96, N126	2SVSAFBS8ZVC Seal with Included Sealant ** + 2SVDI0810V
Encon	Thermal Evaporator N165, N192, N260	2SVSAFBS8ZVC Seal with Included Sealant ** + 2SVDI0812V
Enervex	ADM 6: 6" Z-Vent Male to ADM 6	2SVSADMM6 Seal with Included Sealant**
Enervex	ADM 6: ADM 6 to 6" Z-Vent Female	2SVSADMF6 Seal with Included Sealant**
Enervex	MDF 8: 8" DW ZV-Clamp Male to MDF 8 w/8" Flange	2SVAEMDF8MF Seal with Included Sealant**
Enervex	MDF 8: MDF 8 w/8" Flange to 8" DW ZV-Clamp Female	2SVAEMDF8FF Seal with Included Sealant**
Enervex	MDF 14: 14" DW ZV-Clamp Male to MDF 14 w/14" Flange	2SVAEMDF14MF Seal with Included Sealant**
Enervex	MDF 14: MDF 14 w/14" Flange to 14" DW ZV-Clamp Female	2SVAEMDF14FF Seal with Included Sealant**
Enervex	SCA – 14" for use with RSV	2SVSA14M14FBS Seal with Included Sealant **
Enervex	TDF250: 8" DW ZV-Clamp Male to TDF250 w/16" Flange	2SVAETDF0816 Seal with Included Sealant**
Enervex	TDF250: TDF250 w/16" Flange to 8" DW ZV-Clamp Female	2SVAETDF1608 Seal with Included Sealant**
Enervex	TDF300: 14" DW ZV-Clamp Male to TDF300 w/20" Flange	2SVAETDF1420 Seal with Included Sealant**
Enervex	TDF300: TDF300 w/20" Flange to 14" DW ZV-Clamp Female	2SVAETDF2014 Seal with Included Sealant**
Enervex	TDF400: 14" DW ZV-Clamp Male to TDF400 w/24" Flange	2SVAETDF1424 Seal with Included Sealant**
Enervex	TDF400: TDF400 w/24" Flange to 14" DW ZV-Clamp Female	2SVAETDF2414 Seal with Included Sealant**
Enervex	TDF500: 20" DW ZV-Clamp Male to TDF500 w/28" Flange	2SVAETDF2028
Enervex	TDF500: TDF500 w/28" Flange to 20" DW ZV-Clamp Female	2SVAETDF2820
EZ Tankless	Sapphire Series 12L, 14L, 24L	2SVSNA03.5B

Z-VENT® Suggested Appliance Adaptors*

MANUFACTURER	MODEL	PART NUMBER
Fulton	Endura EDR2000	2SVSAEDR8
Fulton	Endura EDR750, 1000, 1500	2SVSAEDR6
Fulton	Endura XE Series, EXE-399, 500	2SVSAEDRXE04H (Horizontal Outlet)
Fulton	Endura XE Series, EXE-650, 750	2SVSAEDRXE06H (Horizontal Outlet)
Fulton	Endura XE Series, EXE-399, 500	2SVSAEDRXE04 (Vertical Outlet)
Fulton	Endura XE Series, EXE-650, 750	2SVSAEDRXE06 (Vertical Outlet)
Fulton	Endura XE Series, EXE 1000, 1500	2SVSAEDR6 Seal with Included Sealant **
Fulton	Endura XE Series, EXE 2000, 2500, 3000	2SVSAEDR8 Seal with Included Sealant **
Fulton	Endura XE Series, EXE 4000, 5000, 6000	2SVSAFV14 Seal with Included Sealant **
Fulton	Endura+8000, 10000, 12000	2SVSADS22 Seal with Included Sealant **
Fulton	Endura+2500, 3000	2SVSAEDRP8 (Vertical Outlet)
Fulton	Endura+2500, 3000	2SVSAEDRP8H (Horizontal Outlet)
Fulton	Endura+4000	2SVSAEDRP12 (Vertical Outlet)
Fulton	Endura+4000	2SVSAEDRP12H (Horizontal Outlet)
Fulton	Endura+5000, 6000	2SVSAEDRP14 (Vertical Outlet)
Fulton	Endura+5000, 6000	2SVSAEDRP14H (Horizontal Outlet)
Fulton	Pulse Pack PHW-2000	2SVSAF06
Fulton	Pulse Pack PHW-300, 500, 750, 1000, 1400	2SVSAF04
Fulton	Vantage VTG2000	2SVSAFV10 Seal with Included Sealant**
Fulton	Vantage VTG3000	2SVSAFV12 Seal with Included Sealant**
Fulton	Vantage VTG4000, 5000, 6000	2SVSAFV14 Seal with Included Sealant**
Fulton	VSRT 10, 15	2SVSA7.83MBS08 with Fulton vent limit switch p/n 2-30-100414
Fulton	VSRT 20, 30	2SVSA9.83MBS10 with Fulton vent limit switch p/n 2-30-100414
Fulton	VSRT 40, 50, 60	2SVSA11.83MBS12 with Fulton vent limit switch p/n 2-30-100414
Gasmaster Industries	GMI 1.5M, 2M	2SVSA12
Gasmaster Industries	GMI 200, 300, 400	2SVSNA04.5
Gasmaster Industries	GMI 4M	2SVSA18
Gasmaster Industries	GMI 600	2SVSA06
Gasmaster Industries	GMI 800, 1M	2SVSA08
Gasmaster Industries	HC(600,1000) & GMI DF-1M & NX1000	2SVSA5.78MBS06 Seal with Incuded Sealant ** for Natural Gas or Propane
Gasmaster Industries	HC(1500,2000) & GMI DF-(1.5,2)M & NX(1500,2000)	2SVSA7.78MBS08 Seal with Incuded Sealant ** for Natural Gas or Propane

Canada: 452 Attwell Drive, Etobicoke, ON M9W 5C3 tel: 416.679.0045 • fax: 416.679.0051
U.S.A.: 20 Commerce Park North, Bedford, New Hampshire 03110 tel: 603.669.5136 • fax: 888.889.3539 • 800.654.5600

Z-VENT® Suggested Appliance Adaptors*

MANUFACTURER	MODEL	PART NUMBER
Gasmaster Industries	HC(2500,3000) & GMI DF-3M & NX(2500,3000)	2SVSA9.78MBS10 Seal with Incuded Sealant ** for Natural Gas or Propane
Gasmaster Industries	GMI DF-4M & GMI-4M	2SVSA11.78MBS12 Seal with Incuded Sealant ** for Natural Gas or Propane
Gasmaster Industries	GMI DF-(5,6)M & GMI-6M	2SVSA13.78MBS14 Seal with Incuded Sealant ** for Natural Gas or Propane
Gasmaster Industries	GMI DF-8M & GMI-8M	2SVSA15.78MBS16 Seal with Incuded Sealant ** for Natural Gas or Propane
Gasmaster Industries	GMI-10M	2SVSA17.78MBS18 Seal with Incuded Sealant ** for Natural Gas or Propane
Gasmaster Industries	GMI-12M	2SVSA19.78MBS20 Seal with Incuded Sealant ** for Natural Gas or Propane
Hamilton Engineering	3VO-750	2SVSAFNS05
Hamilton Engineering	3VO-850, 1000	2SVSAFNS06
Hamilton Engineering	3VO-1500	2SVSAFNS07
Hamilton Engineering	3VO-2000	2SVSAFNS08
Hamilton Engineering	3VO-2500, 3000, 3500	2SVSAFNS10
Hamilton Engineering	3VO-4000	2SVSAFNS12
Hamilton Engineering	EVO299, 399	2SVSTTA04.5
Hamilton Engineering	EVO599	2SVSAFNS05
Hayward Pool Products	H250IDL(P) & H400IDL(P)	Standard Vent Pipe 6"
Heatco	HDG100	Standard Vent Pipe 5" Sealant & Stainless Steel Screws Required**
Heatco	HE550B	2SVSAH6
Heatstar	HSU 50, 80, 125	2SVSA3.94FSS04 Seal and Secure with Included Sealant and Screws**
Hobart Corp.	IB235, IB290	2SVSNA04.5
Hobart Corp.	IB57, IB140	2SVSNA03.5
HTP	Elite-Max HCW(400,500)(_,WH)	2SVSTTA04.5 for Vent or Air Intake
HTP	Elite-Max HCW(650,800,1000)(_,WH)	2SVSTTA06 for Vent or Air Intake
HTP	Elite-Max HCW(1500,2000)(_,WH)	Standard Vent Pipe 8" for Vent or Air Intake
HTP	Elite Ultra ELU-(85,120)WBN & ELU-(120,150)WCN	2SVSTTA023
HTP	Elite XL ELX-(400,500)	2SVSACPVC4
HTP	Elite XL ELX-(650,800,1000)	2SVSACPVC6
HTP	Elite XL ELX-(1500,2000)	2SVSAFNS08
HTP	MODCON(300, 500)	2SVSPVC04
HTP	MODCON(700, 850)	2SVSPVC06
HTP	Phoenix Series PH(100-55, 130-55, 100-80, 130-80, 100-119, 130-119)	2SVSACPVC3 with Field Supplied 2" to 3" CPVC Increaser, CPVC Primer & Cement
HTP	Phoenix Series PH(160-55, 199-55, 160-80, 199-80, 160-119, 199-119)	2SVSACPVCF3

Z-VENT® Suggested Appliance Adaptors*

MANUFACTURER	MODEL	PART NUMBER
Hubbell	NX Series NX200	2SVSTTA03
Hubbell	NX Series NX300-600	2SVSTTA04.5
Hubbell	NX Series NX700-800	2SVSTTA06
Hubell	NXT Series NXT200	2SVSTTA03
Hubbell	NXT Series NXT300-400	2SVSTTA04.5
Hydrotherm	2001 Boiler	2SVSHF03
Hydrotherm	HI Series	2SVSNA04.5
Hydrotherm	ID Series	2SVSNA04.5
Hydrotherm	IHS Series	2SVSNA04.5
Hydrotherm	KN10-1000, 2000	2SVSA06, 08,
Hydrotherm	KN10-1600	2SVSNA04.5
Hydrotherm	KN Series KN-6, KN-10	2SVSAFNS04
Hydrotherm	KN Series KN-16, KN-20	2SVSAFNS06
Hydrotherm	KN Series KN-26, KN-30	2SVSAFNS08
Hydrotherm	KN Series KN-40	2SVSAFNS10
Hydrotherm	KN Series Plus KN-6+, KN-10+	2SVSAFNS05
Hydrotherm	KN Series Plus KN-16+, KN-20+	2SVSAFNS06
Hydrotherm	KN Series Plus KN-26+, KN-30+	2SVSAFNS08
Hydrotherm	KN Series Plus KN-40+	2SVSAFNS10
Hydrotherm	Saber FX Series	2SVSHF03, 04
IBC	DC23-84, 29-106, 20-125, 33-160	2SVSTTA03
IBC	EX, EX400, 500	2SVSTTA04.5
IBC	EX, EX700, 850	2SVSTTA06
IBC	IFIRE 300, 400, 500	2SVSTTA04.5
IBC	IFIRE 650, 800, 1000	2SVSTTA06
IBC	IFIRE I(B,V)GWSF1 (300,400,500)C	2SVSTTA04.5
IBC	IFIRE I(B,V)GWSF1 (650,800,1000)C	2SVSTTA06
IBC	IFIRE I(B,V)GWSF1 (1250,1500)C	2SVSAFNS08
IBC	HC13-50, 15-95, 29-106, 20-125, 33-160	2SVSTTA03
IBC	SL10-85G3, SL14-115G3, SL20-160GS, SL30-199G3, SL26-260G3	2SVSTTA03 or 2ZD2ZV3
IBC	SL40-399G3	2SVSTTA04.5 or 2ZD2ZV4
IBC	CX Series CX(150,199)	2SVSPVC03
IBC	VX Series VX(110,150,199)	2SVSPVC03
Infrasave	Builder ITB or ITBU (45-200) & P40U-I	2SVAS04 Seal with Included Sealant **
Infrasave	Premier IQ (45-200) & P40U-I	2SVAS04 Seal with Included Sealant **
Infrasave	Super Tube Modulating IST-M or IST-MU	2SVAS04 Seal with Included Sealant **
Infrasave	Super Tube Single Stage IST-S or IST-SU	2SVAS04 Seal with Included Sealant **
Infrasave	Super Tube Two-Stage IST-T or IST-TU	2SVAS04 Seal with Included Sealant **
Infrasave	Two-Stage ITT or ITTU	2SVAS04 Seal with Included Sealant **
Infrasave	Two-Stage Wash ITTW or ITTW-S	2SVAS04 Seal with Included Sealant **
Infrasave	Ultimate EIH	2SVAS04 Seal with Included Sealant **

Canada: 452 Attwell Drive, Etobicoke, ON M9W 5C3 tel: 416.679.0045 • fax: 416.679.0051
U.S.A.: 20 Commerce Park North, Bedford, New Hampshire 03110 tel: 603.669.5136 • fax: 888.889.3539 • 800.654.5600

Z-VENT® Suggested Appliance Adaptors*

MANUFACTURER	MODEL	PART NUMBER
Infrasave	Wash IW or IWP or IW(-S) & P40U-I(P,W)	2SVAS04 Seal with Included Sealant **
Infrasave	Wash Two-Stage IW2 or IWP2	2SVAS04 Seal with Included Sealant **
Intellihot	iQ(751,1001,1501) Gen II	2ZD2ZV6
Intellihot	iQ(2001,3001) Gen II	2ZD2ZV8
Jandy	HI-E2 & HI-E2R EHE350	2SVSTTA04.5 with Jandy/Zodiac Vent Collar p/n R0307900 and Vent Connector p/n R0444900 or Fernco p/n 3005-44
Jandy	Jxi 200, 260, 400	2SVSZA4
Jandy	LXi 250, 300	2SVSA05
Jandy	LXi 400	2SVSA06
John Woods	JWT-240, 340, 540	2SVBFDPA04
John Woods	JWT-910	2SVBFDPA05
Laars	Endurance EBP, EDN, & EDP	2SVSNA03.5
Laars	FT Series (L,B)FTCF199NA	2SVSTTA03
Laars	FT Series, FTCF199N	2SVSTTA03
Laars	FT Series, MFTCW(140,199)(N,P)	2SVSTTA03
Laars	FT Series, MFTHW(100,140,199)(N,P)	2SVSTTA03
Laars	MagnaTherm FT CFH(1500,2000)	2SVSAFNS08
Laars	MagnaTherm FT CFH1000	2SVSAFNS06
Laars	MagnaTherm FT CFH3000	2SVSAFNS10
Laars	MagnaTherm HTD MG(H,V)1600	2SVSAFNS06
Laars	MagnaTherm HTD MG(H,V)2000, 2500	2SVSAFNS08
Laars	MagnaTherm HTD MG(H,V)3000, 3500	2SVSAFNS10
Laars	MagnaTherm HTD MG(H,V)4000	2SVSAFNS12
Laars	MagnaTherm w/Laars Linc MG(H,V)1600	2SVSAFNS06
Laars	MagnaTherm w/Laars Linc MG(H,V)2000, 2500	2SVSAFNS08
Laars	MagnaTherm w/Laars Linc MG(H,V)3000, 3500	2SVSAFNS10
Laars	MagnaTherm w/Laars Linc MG(H,V)4000	2SVSAFNS12
Laars	Mascot MFTC(F,W) (140,199)	2SVSTTA03
Laars	Mascot MFTHW(80,100,120,140,199)	2SVSTTA03
Laars	Mascot ST Series, MSTWW199(N,P)	2SVSTTA03
Laars	Mighty Therm	2SVSA10,12,14,16
Laars	Mighty Therm2, MT2(H,V)0200(N,P)	2SVSUHA05 Sealant Required** May Require Reducer
Laars	Mighty Therm2, MT2(H,V)0300(N,P)	2SVSUHA06 Sealant Required** May Require Reducer
Laars	Mighty Therm2, MT2(H,V)0500(N,P)	2SVSA08 May Require Reducer
Laars	Mighty Therm2, MT2(H,V)(0750,1000)(N,P)	2SVSA10 May Require Reducer
Laars	Mighty Therm2, MT2(H,V)(1250,1500)(N,P)	2SVSA12 May Require Reducer

Z-VENT® Suggested Appliance Adaptors*

MANUFACTURER	MODEL	PART NUMBER
Laars	Mighty Therm2, MT2(H,V)0400(N,P)	2SVSA06 For Laars Equipped Category III Appliance, 2SVSA07 For Laars Equipped Category I Appliance
Laars	Mini Therm Jvi	2SVSNA04.5
Laars	Mini-Combo id	2SVSNA04.5
Laars	NeoTherm XTR NT2(H,V) 399, 500	2SVSTTA04.5
Laars	NeoTherm XTR NT2(H,V) 650, 800, 999	2SVSTTA06
Laars	NeoTherm XTR NT2(H,V) 1500	2SVSAFNS08
Laars	Neotherm LC NTH 1000, 1200	2SVSTTA06
Laars	Neotherm LC NTV 1000, 1200	2SVSTTA06
Laars	NeoTherm NT(H,V)1000, 1200	2SVSTTA06 with Laars 6"PVC to 6"SS Vent Adapter
Laars	NeoTherm NT(H,V)150, 199, 210	2SVSACPVC3
Laars	NeoTherm NT(H,V)285, 399, 500, 600	2SVSTTA04.5
Laars	NeoTherm NT(H,V)750, 850	2SVSTTA06 with Laars 6"PVC to 6"SS Vent Adapter
Laars	NeoTherm NTH080, 105	2SVSACPVC23
Laars	OmniTherm OC(H,V)1250, 1500	2SVSAFNS06
Laars	OmniTherm OC(H,V)1750, 2000, 2500	2SVSAFNS08
Laars	OmniTherm OC(H,V)3000	2SVSAFNS10
Laars	OmniTherm ON(H,V)1250, 1500	2SVSAFNS06 with Laars Category III Vent Adaptor D2022100
Laars	OmniTherm ON(H,V)1750, 2000	2SVSAFNS08 with Laars Category III Vent Adaptor D2022200
Laars	OmniTherm ON(H,V)2500	2SVSAFNS08 with Laars Category III Vent Adaptor D2022300
Laars	Pennant Series	2SVSA06,08,10,12
Laars	Rheos 1200, 1600	2SVSA05
Laars	Rheos 2000,	2SVSA07
Laars	Rheos 2400	2SVSA10
Lattner	WLF IV 9.5/10, 15, 20, 25	2SVSA08
Lattner	WLF IV 30	2SVSA10
Lattner	WLF IV 40, 50	2SVSA12
Lennox	CMWB 2-7	Standard Vent Pipe Sealant Required**
Lennox	CXE 2-7	Standard Vent Pipe Sealant Required**
Lennox	GWB8-(042,075,112,150,187,225)IE-2	2SVSADXEB3
Lennox	LF25-(125, 150)S-1	2SVALUH4 Seal with Included Sealant **
Lennox	LF25-(175, 200, 250, 300)	2SVSA05 Sealant Required**
Lennox	LF25-(30, 45, 60, 75, 90, 105, 125, 150) A-1	2SVALUH4 Seal with Included Sealant **
Lennox	LF25-(350, 400)	2SVSA06 Sealant Required**
Lennox	UD(A,B)S 150-250	2SVSRHA05

Canada: 452 Attwell Drive, Etobicoke, ON M9W 5C3 tel: 416.679.0045 • fax: 416.679.0051
U.S.A.: 20 Commerce Park North, Bedford, New Hampshire 03110 tel: 603.669.5136 • fax: 888.889.3539 • 800.654.5600

Z-VENT® Suggested Appliance Adaptors*

MANUFACTURER	MODEL	PART NUMBER
Lennox	UD(A,B)S 30-125	2SVSRHA04
Lennox	UD(A,B)S 300-400	2SVSRHA06
L.E.S.Boilers	Series HF/HW "Scotch Box" Models 70, 80, 90, 105, 120	2SVSAFV12
Lochinvar	Armor AW(N,L)151, 200, 201	2SVSLA03
Lochinvar	Armor AW(N, L)286, 400, 501, 601	2SVSLA04
Lochinvar	Armor AW(N, L)701, 801	2SVSTTA06
Lochinvar	Armor AWH0400, 0500(N,L)	2SVSLA04
Lochinvar	Armor AWH0650, 0800, 1000(N,L)	2SVSTTA06
Lochinvar	Armor AWH1250, 1500, 2000(N,L)	2SVSAFNS08 for Single Wall Vent or 2SVDSA08V for Double Wall Vent
Lochinvar	Armor AWH3000(N,L)	2SVSAFNS10 for Single Wall Vent or 2SVDSA10V for Double Wall Vent
Lochinvar	Armor AWH4000(N,L)	2SVSAFNS12 for Single Wall Vent or 2SVDSA12V for Double Wall Vent
Lochinvar	Armor Wall Mount WA(N,L)125, 200, 201	2SVSLPVC3
Lochinvar	Armor X2 AW(N, L)1000, 1300, 1500	2SVSAFNS06
Lochinvar	Aquas AP(N,L)285	2SVAKA03
Lochinvar	Aquas AP(N,L)(400,500,600)	2SVSLA04
Lochinvar	Aquas AP(N,L)(725,850)	2SVSTTA06
Lochinvar	Aquas APO(750,1000)(N,L)	2SVSAFNS06
Lochinvar	Aquas APO(1250,1500,1750,2000)(N,L)	2SVSAFNS08
Lochinvar	Aquas APO2500(N,L)	2SVSAFNS09
Lochinvar	Aquas APO(3000,3500)(N,L)	2SVSAFNS10
Lochinvar	Aquas APO4000(N,L)	2SVSAFNS12
Lochinvar	Aquas APO(5000,6000)(N,L)	2SVSAFNS14
Lochinvar	Cadet C(C, D)(N, L)120	2SVSLPVC3
Lochinvar	Cadet CD(N, L)040, 070, 100	2SVSLPVC3
Lochinvar	Copper-Fin CBN	2SVSA06,08,10,12,14
Lochinvar	Copper-Fin II CHN	2SVSA05,06,08,10,12,14
Lochinvar	Crest FB(N, L)0751, 1001	2SVSAFNS06
Lochinvar	Crest FB(N, L)1251, 1501, 1751, 2001	2SVSAFNS08
Lochinvar	Crest FB(N,L)(3001,3501)	2SVSAFNS10
Lochinvar	Crest FB(N,L)(5001,6001)	2SVSAFNS14
Lochinvar	Crest FB(N,L)2501	2SVSAFNS09
Lochinvar	Crest FB(N,L)4001	2SVSAFNS12
Lochinvar	Efficiency+ EBN 150,200	2SVSNA04.5
Lochinvar	Efficiency+ EBN 250,300	2SVSA05
Lochinvar	EnergyRite ER(N,L)152, 202 with E-Rite Side Wall Vent Kit	2SVSNA04.5 Sealant Required**
Lochinvar	EnergyRite ER(N,L)252, 302 with E-Rite Side Wall Vent Kit	2SVSA05 Sealant Required**
Lochinvar	EnergyRite ER(N,L)402 with E-Rite Side Wall Vent Kit	2SVSA06 Sealant Required**

Z-VENT® Suggested Appliance Adaptors*

MANUFACTURER	MODEL	PART NUMBER
Lochinvar	Epic EPB80N, EFC, EP(B,C)(110,150,199)N	2SVSTTA03
Lochinvar	FCB1000(N,L)	2SVSAFNS06
Lochinvar	FCB(1500,2000)(N,L)	2SVSAFNS08
Lochinvar	FCB2500(N,L)	2SVSAFNS09
Lochinvar	FCB3000(N,L)	2SVSAFNS10
Lochinvar	FCB4000(N,L)	2SVSAFNS12
Lochinvar	FCB(5000,6000)(N,L)	2SVSAFNS14
Lochinvar	FTXL FTX400, 500, 600(N, L)	2SVSLA04
Lochinvar	FTXL FTX725, 850, 1000(N,L)	2SVSTTA06
Lochinvar	Intelli-Fin IBN 1500-2000	2SVSA06,07,08
Lochinvar	JKB2000	2SVSLA03
Lochinvar	JKB2000 (PVC)	2SVSLPVC3
Lochinvar	JKB2001	2SVSLA04
Lochinvar	Knight KB(N, L)081, 106, 151, 211	2SVSLA03
Lochinvar	Knight KB(N, L)286	2SVSLA04
Lochinvar	Knight KH(N, L)055, 085	2SVAKA02
Lochinvar	Knight KH(N, L)110, 155, 199, 285	2SVAKA03
Lochinvar	Knight KHB(055, 085)(N,L)	2SVSTTA023
Lochinvar	Knight KHB(110, 155, 199, 285)(N,L)	2SVSTTA03
Lochinvar	Knight WH(N, L)055, 085	2SVAKA02
Lochinvar	Knight WH(N, L)110, 155, 199, 285	2SVAKA03
Lochinvar	Knight WH(N, L)399	2SVAKA04
Lochinvar	Knight WHB(055, 085)(N,L)	2SVSTTA023
Lochinvar	Knight WHB(110, 155, 199, 285)(N,L)	2SVSTTA03
Lochinvar	Knight WHB(399)(N,L)	2SVSTTA04.5
Lochinvar	Knight XL KB(N, L)400, 501, 601	2SVSLA04
Lochinvar	Knight XL KB(N, L)701, 801	2SVSTTA06
Lochinvar	Knight XL KBX(0400,0500)	2SVSLA04
Lochinvar	Knight XL KBX(0650,0800,1000)	2SVSTTA06
Lochinvar	LTI-240, 340, 540	2SVBFDPA04
Lochinvar	Micro CHP XRGI 25	2SVSHF03
Lochinvar	Noble NKC110, 150, 199 (N, L)	2SVEPWCF03_,_ OR 2SVEEWCF03_,_
Lochinvar	Power-Fin P(B,F)(N,L)0502(-M9,PM-M9)	2SVSAFNS04 + increaser required for Category II
Lochinvar	Power-Fin P(B,F)(N,L)0752(-M9,PM-M9)	2SVSAFNS05 + increaser required for Category II
Lochinvar	Power-Fin P(B,F)(N,L)(1002,1501)(-M9,PM-M9)	2SVSAFNS06 + increaser required for Category II
Lochinvar	Power-Fin P(B,F)(N,L)1701(-M9,PM-M9)	2SVSAFNS07 + increaser required for Category II
Lochinvar	Power-Fin P(B,F)(N,L)(1302,2001)(-M9,PM-M9)	2SVSAFNS08 + increaser required for Category II

Canada: 452 Attwell Drive, Etobicoke, ON M9W 5C3 tel: 416.679.0045 • fax: 416.679.0051
U.S.A.: 20 Commerce Park North, Bedford, New Hampshire 03110 tel: 603.669.5136 • fax: 888.889.3539 • 800.654.5600

Z-VENT® Suggested Appliance Adaptors*

MANUFACTURER	MODEL	PART NUMBER
Lochinvar	Power-Fin PBN 250-2000	2SVSA06,08,10
Lochinvar	Power-Fin PFN 250-2000	2SVSA06,08,10
Lochinvar	Power-Fin PB(N,L)2500	2SVSAFNS09 for Single Wall Vent or 2SVDSA09V for Double Wall Vent
Lochinvar	Power-Fin PB(N,L)(3000,3500)	2SVSAFNS10 for Single Wall Vent or 2SVDSA10V for Double Wall Vent
Lochinvar	Power-Fin PB(N,L)4000	2SVSAFNS12 for Single Wall Vent or 2SVDSA12V for Double Wall Vent
Lochinvar	Power-Fin PB(N,L)5000	2SVSAFNS14 for Single Wall Vent or 2SVDSA14V for Double Wall Vent
Lochinvar	Shield S(N, L)A 151-100, 201-100	2SVSACPVC3
Lochinvar	Shield S(N, L)R 126-065, 151-100, 201-100	2SVSACPVC3
Lochinvar	Shield SW(A,R)125-200	2SVSACPVC3
Lochinvar	Shield SW(A,R)285-500	2SVSACPVC4
Marey	GA14CSA	2SVSA3.2FBSPD03
Marey	GA24CSA	2SVSNA03.5
Marey	GA30LP/NG	2SVSAF3.96F4
Mill City Roasters	MCR500	Mill City Roaster P/N VA-TAZV-3
Mill City Roasters	MCR 2D	Mill City Roaster P/N VA-TAZV-6
Mill City Roasters	MCR 2E	Mill City Roaster P/N VA-TAZV-6
Mill City Roasters	MCR 3	Mill City Roaster P/N VA-TAZV-(8,4)
Mill City Roasters	MCR 6	Mill City Roaster P/N VA-TAZV-(5,4) for Cooling Tray Only
Mill City Roasters	MCR 10	Mill City Roaster P/N VA-TAZV-(5,4) for Cooling Tray Only
Mill City Roasters	MCR 15	Mill City Roaster P/N VA-TAZV-(5,4) for Cooling Tray Only
Mill City Roasters	MCR 20	Mill City Roaster P/N VA-TAZV-(5,4) for Cooling Tray Only
Mill City Roasters	MCR 30	Mill City Roaster P/N VA-TAZV-(6,5) for Cooling Tray Only
Mill City Roasters	MCR 60	Mill City Roaster P/N VA-TAZV-6 for Cooling Tray Only
Mizudo	FDG-CS(90,120)	2SVSAF3F3 Seal & Secure with Included Sealant & Screws **
Mr. Heater	MHU 50, 80, 125	2SVSA3.94FSS04 Seal and Secure with Included Sealant and Screws**
Modine	(P,B) TS 250, 300, 350, 400	2SVAM6 Seal with Included Sealant**
Modine	(P,B)DP 150, 175	2SVMPE04 & 2SVSIE0405 Seal with Included Sealant**

Z-VENT® Suggested Appliance Adaptors*

MANUFACTURER	MODEL	PART NUMBER
Modine	(P,B)DP 200	2SVMPE06 & 2SVSRE0605 Seal with Included Sealant**
Modine	(P,B)DP 250, 300, 350, 400	2SVMPE06 Seal with Included Sealant**
Modine	(P,B)TS 150, 175, 200	2SVAM4 Seal with Included Sealant**
Modine	BTC215, 260, 310	2SVSTTA04.5 or 2SVSLA04
Modine	D(B,C)P 200, 225, 250, 300, 350, 400, 500, 600, 800, 840, 960	2SVMPE06 Seal with Included Sealant**
Modine	D(B,C)P 75, 100, 125, 150, 175	2SVMPE04 Seal with Included Sealant**
Modine	D(B,C)S 200, 225, 250, 300, 350, 400	2SVAM6 Seal with Included Sealant**
Modine	D(B,C)S 75, 100, 125, 150, 175	2SVAM4 Seal with Included Sealant**
Modine	(D,I)(B,C)S(100/125,150/175)	Standard Vent Pipe 4" Sealant & Screws Required **
Modine	(D,I)(B,C)S(200/225,250/300,350/400, 500/600,700/800,840/960)	Standard Vent Pipe 6" Sealant & Screws Required **
Modine	(D,I)FS(75,100,125,150,175)	Standard Vent Pipe 4" Sealant & Screws Required **
Modine	(D,I)FS(200,225,250,300,350,400)	Standard Vent Pipe 6" Sealant & Screws Required **
Modine	DFP 200, 225, 250, 300, 350, 400	2SVMPE06 Seal with Included Sealant**
Modine	DFP 75, 100, 125, 150, 175	2SVMPE04 Seal with Included Sealant**
Modine	HD(_,B) 100, 125	2SVAM4 Seal with Included Sealant**
Modine	HD(C,S) 60, 75, 100, 125	2SVAM4 Seal with Included Sealant**
Modine	HDS30,45	2SVAM3 Seal with Included Sealant**
Modine	Hot Dawg HD30, 45, 60, 75	2SVSAHD03
Modine	Hot Dawg HDB60, 75	2SVSAHD03
Modine	IPT 50, 60, 75, 100, 125, 150, 175, 200	2SVAS04 Seal with Included Sealant **
Modine	PTC156, 180, 215, 260, 310	2SVSTTA04.5 or 2SVSLA04
Modine	PTC55, 65, 85, 110, 135	2SVSTTA03
Modine	(B,P)T(P,X) 150, 175, 200	2SVAM4 Seal with Included Sealant**
Modine	(B,P)T(P,X) 250, 300, 350, 400	2SVAM6 Seal with Included Sealant**
Natco	Fire Coil 85 F85(H,V)0200(N,P)	2SVSUHA05 Seal with Included Sealant** May Require Reducer
Natco	Fire Coil 85 F85(H,V)0300(N,P)	2SVSUHA06 Seal with Included Sealant** May Require Reducer
Natco	Fire Coil 85 F85(H,V)0500(N,P)	2SVSA08 May Require Reducer
Natco	Fire Coil 85 F85(H,V)(0750,1000)(N,P)	2SVSA10 May Require Reducer
Natco	Fire Coil 85 F85(H,V)(1250,1500)(N,P)	2SVSA12 May Require Reducer
Natco	Fire Coil 85 F85(H,V)(1750,2000)(N,P)	2SVSA14 May Require Reducer
Navien	NFB-175, 200	2SVSTTA023
Navien	NFC-175, 200	2SVSTTA023

Canada: 452 Attwell Drive, Etobicoke, ON M9W 5C3 tel: 416.679.0045 • fax: 416.679.0051
U.S.A.: 20 Commerce Park North, Bedford, New Hampshire 03110 tel: 603.669.5136 • fax: 888.889.3539 • 800.654.5600

Z-VENT® Suggested Appliance Adaptors*

MANUFACTURER	MODEL	PART NUMBER
Navien	NPE-(150,180,210,240)(A,S)2	2SVSTTA023
Navien	NFB-C, NFB-(301,399)C	2SVSPVC03
Neptronic Humidifier	SKG3-(110,155,180,210)-1 (N,P)	2SVSNA03.5
Neptronic Humidifier	SKG3-(265,310,350,405)-2 (N,P)	2SVSNA04.5
Neptronic Humidifier	SKG3-(505,560,610)-3 (N,P) & SKG3-(710,765,810)-4 (N,P)	2SVSA05
Neptronic Humidifier	SKG4-N1101 to 2101	2SVSNA03.5
Neptronic Humidifier	SKG4-N2652 to 4052	2SVSNA04.5
Neptronic Humidifier	SKG4-N5053to 8104	2SVSA05
New Yorker Boiler	PVCG(30, 40, 50, 60, 70)B	Standard Vent Pipe 3" Sealant Required **
New Yorker Boiler	PVCG(80,90)B	Standard Vent Pipe 4" Sealant Required **
New Yorker	PVCG Series	2SVSHF03
Nordyne	G6RA-045	2SVSNA03.5
Nordyne	G6RA-060-120	2SVSNA04.5
Nordyne	G6RA-144	2SVSA05
Nordyne	G6RAK (all models)	2SVSNA04.5
Noritz	N-042	2SVWA03
Noritz	N-063S, N-069M, N084M	2SVWA04
Noritz	N-132M	2SVWA05
Noritz	NC-380	2SVSA05 Sealant Required **
Nortec	GN Series 100-400	2SVSNA03.5, 04.5
Nortec	GS 50-CS/NX	2SVSTTA023
Nortec	GS (100, 150)-CS/NX	2SVSTTA03
Nortec	GS (200, 300)-CS/NX	2SVSTTA04.5
Nortec	GS (450, 600)-CS/NX	2SVSTTA06
NTI	Firetube Giant FTG 1200 - 2400	Standard Vent Pipe 8"
NTI	Firetube Giant FTG 600 & FTG 800	Standard Vent Pipe 6"
NTI	FTVN(085,110,150,199) & FTVN(110,150,199)C	2SVSTTA03
NTI	Latitude NCW(400,500)(_,WH)	2SVSTTA04.5 for Vent or Air Intake
NTI	Latitude NCW(650,800,1000)(_,WH)	2SVSTTA06 for Vent or Air Intake
NTI	Latitude NCW(1500,2000)(_,WH)	Standard Vent Pipe 8" for Vent or Air Intake
NTI	Matrix M100 & M100V	2SVCPVCF3
NTI	Trinity LX 150-200 & LX200WH	2SVSTTA03 (3") or 2SVSTTA04 (3" to 4")
NTI	Trinity LX 300-600 & LX300WH-600WH	2SVSTTA04.5
NTI	Trinity LX 700-800 & LX700WH-800WH	2SVSTTA06
NTI	Trinity TFT 300-399	2SVSTTA04.5
NTI	Trinity TFT 60-285	2SVSTTA03
NTI	Trinity TI 80-200	2SVSTTA03
NTI	Trinity TS 80	2SVSTTA03

Z-VENT® Suggested Appliance Adaptors*

MANUFACTURER	MODEL	PART NUMBER
NTI	Trinity TX 51-200	2SVEPWCF03XX
NTI	Vmax VM110 & VM110P	2SVEPWCF03XX
NTI	TRX TRX(150, 199, 199C)	2SVSTTA03
Paloma Industries	PH-16, PH-20, PTG42-PVN	2SVPA03
Paloma Industries	PH-28RIFS	2SVSNA04.5
Patterson-Kelley, Co.	Mach C(1500,2000)H,2500,3000,4000	Standard Vent Pipe 10" Sealant Required**
Patterson-Kelley, Co.	Modu-Fire (N,W)(750,1000)-MFD	2SVSA06 May Require Reducer
Patterson-Kelley, Co.	Modu-Fire (N,W)(1500,2000)-MFD	2SVSA08 May Require Reducer
Patterson-Kelley, Co.	Modu-Fire N(2500,3000)-MFD*	2SVSA10 May Require Reducer
Patterson-Kelley, Co.	Thermific Series	2SVSA10,12
Patterson-Kelley, Co.	Thermific Velox (N,W)(750,1000)-VX	2SVSA06+2SVSIE0608
Patterson-Kelley, Co.	Thermific Velox (N,W)(1500,1700,2000)-VX	2SVSA08+2SVSIE0810
Patterson-Kelley, Co.	Thermific Velox W Series (N,W)1500-MFD, (N,W)1700-MFD, (N,W)2000-MFD	2SVSAR8
Patterson-Kelley, Co.	P-K MACH CM-300, 399, 500	2SVSAFNS04
Patterson-Kelley, Co.	P-K SONIC SC-1500, 2000, 3000, 4000	Standard Vent Pipe 10" Sealant Required**
Patterson-Kelley, Co.	P-K SONIC SCD-650, 750, 850, 1000	2SVSTTA06 Sealant Required**
Patterson-Kelley, Co.	P-K Storm ST-1250, 1500, 1750, 2000	2SVSHF08
Patterson-Kelley, Co.	P-K Storm ST-2500, 3000	2SVSHF10
Patterson-Kelley, Co.	P-K Storm ST-3500, 4000	Standard Vent Pipe 12"
Patterson-Kelley, Co.	P-K Storm ST-5000, 6000	Standard Vent Pipe 14"
Patterson-Kelley, Co.	P-K Storm ST-650, 800, 1000	2SVSHF06
Patterson-Kelley, Co.	SONIC SC-650, 750, 850, 1000	2SVSTTA06 Sealant Required**
Patterson-Kelley, Co.	Mach C-300	2SVSNA04.5
Patterson-Kelley, Co.	Mach C-450	2SVSA05
Patterson-Kelley, Co.	Mach C-750	Standard Vent Pipe 6"
Patterson-Kelley, Co.	Mach C-900, 1050	2SVSA08
Patterson-Kelley, Co.	Pulsar PO	2SVSA05
Patterson-Kelley, Co.	Solis SL-725, SL-850, SL-1000	2SVSHF06
Patterson-Kelley, Co.	Solis SL-1500, SL-2000	2SVSHF08
Patterson-Kelley, Co.	Solis SL-2500, SL-3000	2SVSHF10
Peerless	Purefire PF-1500	2SVSAFNS07
Peerless	Purefire PF-200, 210	2SVSACPVC3
Peerless	Purefire PF-300, 399, 460	2SVSACPVCF4
Peerless	Purefire PF-50, 80, 110, 140	2SVSACPVC3
Peerless	Purefire PF-850, 1000	2SVSAFNS06
Peerless	Purefire Commercial PFC-(850,1000)	2SVSAFNS06
Peerless	Purefire Commercial PFC-1500	2SVSAFNS07
Peerless	Series DE, DE-0(3,4,5,6)	2SVSLBX03
Peerless	Series PSC II	2SVSHF03
Pennco	FSB Series	2SVSACAF03

Canada: 452 Attwell Drive, Etobicoke, ON M9W 5C3 tel: 416.679.0045 • fax: 416.679.0051
U.S.A.: 20 Commerce Park North, Bedford, New Hampshire 03110 tel: 603.669.5136 • fax: 888.889.3539 • 800.654.5600

Z-VENT® Suggested Appliance Adaptors*

MANUFACTURER	MODEL	PART NUMBER
Pentair	ETi(250,400)	2SVSACPVC4
Pentair	Mastertemp MT(125,175,200,250,300,400)(NA,LP) (STD,HD,ASME,HD ASME)	4STPHA04
Pentair	MiniMax NT	4STPHA04
Precision Temp	PT-200 Gas Booster Heater	2SVSNA04.5
Pure Humidifier	GX Series GX-(3,4,8,12)	2SVSNA03.5
PVI	Brigade 20 L 25-RGC	2SVSACPVCF3
PVI	Conquest (20,25,30)L 100 A-GCL	2SVSACPVCF4
PVI	Conquest (40,50,60,70,80,90,100)L 130 A-GCML(W)	2SVSACPVCF6
PVI	Conquest (50,60,70,80)L 130 A-GCML	2SVSACPVCF6
PVI	Conquest 40L 130 A-GCL	2SVSACPVCF6
PVI	Power VT Plus (100,150,180,200)LX (250,300) A-PVIF	2SVSACPVCF6
PVI	Power VT Plus (40,50,75,90)LX 125 A-PVIF	2SVSACPVCF6
PVI	Power VT Plus (50,75,90)LX (250,300) A-PVIF	2SVSACPVCF6
PVI	Power VTX (50,75,90)L 225 A-PVX	2SVSACPVCF6
PVI	Turbopower 96 (50,75,100,130,160)L (250-1500) A-TPX	2SVSACPVCF6
Quietside	QVM8 Series	2SVSNA03.5
Quietside	QXM8 Series	2SVSNA03.5
Raypak	ADB-1000	2SVSA10
Raypak	ADB-1500	2SVSA12
Raypak	ADB-750	2SVSA08
Raypak	Advanced Design Boiler-500	2SVSA06
Raypak	AVIA Model P-R(264,404)A-E(N,P)-(C,N)	2SVSNA04.5
Raypak	D-2 Power Vent for 206A, 207A, 266A, 267A, 268, 336A, 337A, 406A, 407A, 408 for Category III	2SVSNA04.5
Raypak	HI Delta 122	2SVSNA04.5
Raypak	HI Delta 162-2342	2SVSA05,06,08,12,14,16
Raypak	HI Delta (H,WH,P)3-302C	2SVSA05
Raypak	HI Delta (H,WH,P)3-(402C, 502C)	2SVSA06
Raypak	HI Delta (H,WH,P)3-(652C, 752C, 902C)	2SVSA08
Raypak	HI Delta (H,WH,P)3-992C	2SVSA10
Raypak	HI Delta (H,WH,P)3-(1262C, 1532C)	2SVSA12
Raypak	HI Delta (H,WH,P)3-(1802C, 2002C, 2072C)	2SVSA14
Raypak	HI Delta (H,WH,P)3-2342C	2SVSA16
Raypak	MVB 1253A, 1503A, 1753A, 2003A	2SVSAR8
Raypak	MVB 1253A, 1503A, 1753A, 2003A with FasNSeal Appliance Adapter	2SVSAFNS08

Z-VENT® Suggested Appliance Adaptors*

MANUFACTURER	MODEL	PART NUMBER
Raypak	MVB 503A, 753A, 1003A	2SVSAR6
Raypak	MVB 503A, 753A, 1003A with FasNSeal Appliance Adapter	2SVSAFNS06
Raypak	MVB 504A	2SVSAR8
Raypak	MVB 2503, 3003	2SVSA10
Raypak	MVB 3503, 4003	2SVSA12
Raypak	X94 SR-410	2SVSTTA04.5
Raypak	XFIIRE 300B, 400B, 500B	2SVSTTA04.5
Raypak	XFIIRE 650B, 800B, 1000B	2SVSTTA06
Raypak	XPakFT 398AR	2SVSTTA04.5
Raypak	XPakFT 88AR, 108AR, 198AR, 278AR	2SVSTTA03
Raypak	XTherm 1005A	2SVSAR6
Raypak	XTherm 1005A with FasNSeal Appliance Adapter	2SVSAFNS06
Raypak	XTherm 1505A, 2005	2SVSAR8
Raypak	XTherm 1505A, 2005A with FasNSeal Appliance Adapter	2SVSAFNS08
Raypak	XFIRE (H,WH)7 (300,400,500)C	2SVSTTA04.5
Raypak	XFIRE (H,WH)7 (650,800,1000)C	2SVSTTA06
Raypak	XFIRE (H,WH)7 (1250,1500)C	2SVSAFNS08
Raypak	Xvers 0856, 1006	2SVSAFNS06 Single Wall or 2SVSAFNS06 & 2SVDSA06 Double Wall
Raypak	Xvers 1256, 1506, 1756, 2006	2SVSAFNS08 Single Wall or 2SVSAFNS08 & 2SVDSA08 Double Wall
Raypak	Xvers 2605, 3006	2SVSAFNS10 Single Wall or 2SVSAFNS10 & 2SVDSA10 Double Wall
Raypak	XVERSL 406L, 506L, 606L	2SVSTTA04.5
Raypak	XVERSL 726L, 856L	2SVSTTA06
Raypak	XVERS 1007	Standard Vent Pipe 6"
Raypak	XVERS 1257, 1507, 2007	Standard Vent Pipe 8"
Raypak	XVERS 2507, 3007	Standard Vent Pipe 10"
Raypak	XVERS 3507, 4007	Standard Vent Pipe 12"
RBI	Dominator D(B,W)(300,400) & LCDominator L(B,W)400	2SVSA6.125FBS6 Seal with Included Sealant**
RBI	Dominator D(B,W)600 & LCDominator L(B,W)600	2SVSA7.125FBS7 Seal with Included Sealant**
RBI	Dominator D(B,W)750 & LCDominator L(B,W)750	2SVSA8.125FBS8 Seal with Included Sealant**
RBI	Dominator D(B,W)(900,1050) & LCDominator L(B,W)1050	2SVSA10.125FBS10 Seal with Included Sealant**

Canada: 452 Attwell Drive, Etobicoke, ON M9W 5C3 tel: 416.679.0045 • fax: 416.679.0051
U.S.A.: 20 Commerce Park North, Bedford, New Hampshire 03110 tel: 603.669.5136 • fax: 888.889.3539 • 800.654.5600

Z-VENT® Suggested Appliance Adaptors*

MANUFACTURER	MODEL	PART NUMBER
RBI	Dominator D(B,W)1350 & LCDominator L(B,W)(1200,1480)	2SVSA12.125FBS12 Seal with Included Sealant**
RBI	Dominator D(B,W)(1500,1950,2100) & LCDominator L(B,W)(1650,1970,2300)	2SVSA14.125FBS14 Seal with Included Sealant**
RBI	Encore RB0(350,400,500,600)	2SVSPVC04
RBI	Encore RB0(725,850)	2SVSPVC06
RBI	Flexcore CK 1500, 2000	2SVSAFNS06
RBI	Flexcore CK 2500, 3000	2SVSAFNS08
RBI	Flexcore CK 3500, 4000, 4500	2SVSAFNS10
RBI	Flexcore CK 5000, 6000	2SVSAFNS12
RBI	Flexcore CK 7000, 8000, 9000	2SVSAFNS14
RBI	Flexcore CK 850, 1000	2SVSAFNS05
RBI	Futera 65, 100, & 150	2SVSNA03.5
RBI	Futera II Series 500-1950	2SVSA08,09,0,12,14 Cat III Reducer is Required
RBI	Futera III M(B,W)(1250,1500)	2SVSHF08 Cat II/IV Reducer or Increaser May be Required
RBI	Futera III M(B,W)(1750,2000)	2SVSHF10 Cat II/IV Reducer or Increaser May be Required
RBI	Futera III M(B,W)(500,750)	2SVSHF06 Cat II/IV Reducer or Increaser May be Required
RBI	Futera III M(B,W)1000	2SVSHF07 Cat II/IV Reducer or Increaser May be Required
RBI	Futera Fusion C(B,W,P)(500, 750, 1000)	Standard Vent Pipe 7" , +Increaser Required for Cat II
RBI	Futera Fusion C(B,W,P)(1250, 1500)	Standard Vent Pipe 8"
RBI	Futera Fusion C(B,W,P)(1750, 2000)	Standard Vent Pipe 10"
RBI	Futera Fusion XLF C(B,W,P)(2500, 3000)	Standard Vent Pipe 8" , +Increaser Required for Cat II
RBI	Futera Fusion XLF C(B,W,P)(3500, 4000)	Standard Vent Pipe 10" , +Increaser Required for Cat II
RBI	Futera XLF M(B,W)(2500, 3000)	2SVSHF08 , +Increaser Required for Cat I or II
RBI	Futera XLF M(B,W)(3500, 4000)	2SVSHF10 , +Increaser Required for Cat I or II
RBI	Futera XLF MB5000	2SVSHF12 , +Increaser Required for Cat I or II
RBI	Futera XLF MB6000	Standard Vent Pipe 12"
RBI	Futera XLF MB8000	Standard Vent Pipe 14"
RBI	Futera XLF MB10000	Standard Vent Pipe 16"
RBI	Infinite Energy2 (IB,IW)(399,500)	2SVSPVC04
RBI	Infinite Energy2 (IB,IW)(750,1000)	2SVSPVC06
RBI	Infinite Energy2 (IB,IW)199	2SVSPVC03
RBI	Torus W(B,W)(0300,0350,0400,0500)	2SVSPVC04

Z-VENT® Suggested Appliance Adaptors*

MANUFACTURER	MODEL	PART NUMBER
RBI	Torus W(B,W)(0650,0800,1000)	2SVSPVC06
RBI	Torus W(B,W)(1250,1500,2000)	2SVSAFNS08
RBI	Torus W(B,W)(2500,3000)	2SVSAFNS10
RBI	Torus W(B,W)(4000)	2SVSAFNS12
RBI	Futera 200, 250, 300	2SVSNA03.5
Reliance	TS-(2,3,5)40X3-GIH, TS-540P-(G,L)IH	2ZVB04 (backflow preventer) OR 2SVBFDPA04 (condensate drain & backflow preventer)
Reliance	TS-(1,3,5)10-(G,L,U)(E,I)	2ZVB04
Reliance	TS-(1,2,3,5)40-(G,L)(E,I)H	Standard Vent Pipe 4"
Reznor	BE & FE 125-250	2SVSA05
Reznor	BE & FE 25-100	2SVSNA04.5
Reznor	BE & FE 300-400	2SVSA06
Reznor	EEDU (75,100,125,140,170,200)	Standard Vent Pipe 4" Sealant & Stainless Steel Screws Required**
Reznor	EEDU (225,250)	Standard Vent Pipe 5" Sealant & Stainless Steel Screws Required**
Reznor	EEDU (300,350,400)	Standard Vent Pipe 6" Sealant & Stainless Steel Screws Required**
Reznor	FT30-65	2SVSNA04.5
Reznor	GWB8-(042, 075, 112, 150)IE-2	2SVSADXEB3
Reznor	GWB8-(187, 225)IE-2	2SVSADXEB3 & 2SVSI0304
Reznor	SC 100-400	2SVSRHA06
Reznor	U(B,D)XC 30-60	2SVSRHA43
Reznor	U(B,D)XC 75-125	2SVSRHA04
Reznor	U(B,D)XC 150-250	2SVSRHA05
Reznor	U(B,D)XC 300-400	2SVSRHA06
Reznor	U(B,D)(X,Z) 75-125	2SVSRHA04
Reznor	U(B,D)(X,Z) 150-250	2SVSRHA05
Reznor	U(B,D)(X,Z) 300-400	2SVSRHA06
Reznor	UDA(P,S) 30-60	2SVSRHA04
Reznor	UDA(P,S) 75-125	2SVSRHA04
Reznor	UDA(P,S) 150-250	2SVSRHA05
Reznor	UDA(P,S) 300-400	2SVSRHA06
Reznor	V(C,P)(S,T) (60, 80, 100, 125, 150, 170, 200)	2SVSNA04.5 + Rain Cap w/Wind Band
Rheem/Ruud	GV-199	2SVSNA04.5
Rheem/Ruud	PH28	2SVSNA04.5
Rheem/Ruud	RTG 53	2SVPA03
Rheem/Ruud	RTG42 PVN (pronto! 4.2)	2SVPA03
Rheem/Ruud	RTG74 (pronto! 7.4)	2SVSNA04.5
Riello	Array AR(399,500)SE	2SVSTTA04.5

Canada: 452 Attwell Drive, Etobicoke, ON M9W 5C3 tel: 416.679.0045 • fax: 416.679.0051
U.S.A.: 20 Commerce Park North, Bedford, New Hampshire 03110 tel: 603.669.5136 • fax: 888.889.3539 • 800.654.5600

Z-VENT® Suggested Appliance Adaptors*

MANUFACTURER	MODEL	PART NUMBER
Riello	Array AR2000	2ZVARA8
Riello	Array AR3000, 4000	2ZVARA8 or 2ZVARA10
Riello	Array AR800, 1000, 1500	2ZVARA6
Riello	Array AR800, 1000, 1500	Fresh Air Intake Adapter 2ZVARA6A
Riello	Condexa Pro NA(75,117)P	2SVSTTA04.5
Riello	Family Pro 42(KIS, IS)	2SVSTTA023
Riello	Residence Pro 32(KIS,IS)	2SVSTTA023
Riello	RTC1000-80, 1300-80	2ZVARRTC1090V Vertical Vent
Riello	RTC3000-160	2ZVARRTC1090V Vertical Vent with Max 45° Rotation Towards Vertical
Riello	RTC1000-80, 1300-80, 3000-160	2ZVARRTC10 Horizontal Vent
Riello	RTC1700-80, 2300-, 4000-160	2ZVARRTC12
Riello	RTC3000-80, 3800-80, 5000-160, 6000-160	2ZVARRTC14
Riello	RTC4700-80, 8000-160	2ZVARRTC16
Riello	RTC5500-80, 10000-160	2ZVARRTC18
Rinnai	E50C, E50CR	2ZD2ZV3
Rinnai	E60SR, E85SR, E110SR	2ZD2ZV3
Rinnai	E75C, E75CR, E110C, E110CR	2ZD2ZV3
Rinnai	M060C, M090C, M120C, M160C	2ZD2ZV3
Rinnai	M060S, M090S, M120S, M160S	2ZD2ZV3
Rinnai	Q85S, Q130S, Q175S, Q205S, Q175C	2ZD2ZV3
Rinnai	QP85, QP130	2ZD2ZV3
Rinnai	R98, R98LSI	2SVSNA04.5
Rinnai	RUC80i, RUC90i, RUC98i	2SVSACPVC3
Rinnai	RUCS65i, RUCS75i	2SVSACPVC3
Rinnai	RUR98i	2SVSACPVC3
Samsco	Water Evaporator II 550, 600, 650	2SVASGPXF06 Sealant Required*
Schwank	Builder S100 or S100U (45-200) & P40U	2SVAS04 Seal with Included Sealant **
Schwank	Dura SPW-JZ OR STW-JZ(S)& P40U	2SVAS04 Seal with Included Sealant **
Schwank	Premier STS-JZ (45-200) & P40U	2SVAS04 Seal with Included Sealant **
Schwank	Super Tube Modulating SST-M or SST-MU	2SVAS04 Seal with Included Sealant **
Schwank	Super Tube Single Stage SST-S or SST-SU	2SVAS04 Seal with Included Sealant **
Schwank	Super Tube Two-Stage SST-T or SST-TU	2SVAS04 Seal with Included Sealant **
Schwank	Two-Stage SET or SETU	2SVAS04 Seal with Included Sealant **
Schwank	Two-Stage Wash SETW or SETW-S	2SVAS04 Seal with Included Sealant **
Schwank	Ultra UHE	2SVAS04 Seal with Included Sealant **
Schwank	Wash Two-Stage SPW2-JZ or STW2-JZ	2SVAS04 Seal with Included Sealant **
Slantfin	Caravan Series	2SVSHF03
Slantfin	Concept 21 Series	2SVSHF03
Slantfin	Prodigy 21	2SVSHF03
Slantfin	Victory II Series	2SVSHF03
Slantfin	Victory VSPH Series	2SVSHF03

Z-VENT® Suggested Appliance Adaptors*

MANUFACTURER	MODEL	PART NUMBER
Smith	(_,G,GO)19HE-(S,W)-(3,4)	2SVSA7.01FBS07
Smith	GV100 Series	2SVESHA04
Space-Ray	PTS/U (40,50,60,75,100,125,150,175, 200)	2SVSAHD04
Sta-Rite	Max-E-Therm SR Pool or Spa Heater	4STPHA04
Sta-Rite	Sta-Rite Pool Heater	4STPHA04
State Water Heaters	Aurora GAX194	2SVSNA04.5
State Water Heaters	GTS-910	2SVBFDPA05
Sterling	GG-(30,45,60,75,90,105,120)	2SVASGPGG04 Seal with Included Sealant **
Sterling	GG-(30,45,60,75,90,105,120) Concentric Separated Combustion w/Kit 11AS-X7-5	2SVASGPGG04 Seal with Included Sealant ** & 2SVSI0405 or 2SVSIE0405
Sterling	TD100-200	2SVASGPXF05
Sterling	TD250-400	2SVASGPXF06
Sterling	X(C,F) 100-250	2SVASGPXF05
Sterling	X(C,F)300-400	2SVASGPXF06
Sterling	Unit Heaters - Fresh Air Intake Adaptor	2SVASGPI05 Seal with Included Sealant **
SunStar	SPS/U (40,50,75,100,125,150,175,200) (N5/L5/N7/L7)	2SVSAHD04
SunStar	SIS/U (50, 75, 100, 125, 150, 175) (N5/ L5)	2SVALUH4 Seal with Included Sealant **
SunStar	SIR (25,35,45) (N5/L5) & SIR (35,45) (N7/L7)	2SVALUH4 Seal with Included Sealant **
Superior Boiler	Cheyenne 10000	2SVSA15.85MBS16 Seal with Included Sealant **
Superior Boiler	Creek ST500	2SVSASBC08 Seal with Included Sealant**
Superior Radiant Products	ETSV-40, 60, 80	2SVSASR04 Secure with included screws and seal with Included Sealant**
Superior Radiant Products	TA-40, 60, 80, 100, 125, 150, 175, 205, 220	2SVSASR04 Secure with included screws and seal with Included Sealant**
Superior Radiant Products	TX-40, 60, 80, 100, 125, 150, 175, 205, 220	2SVSASR04 Secure with included screws and seal with Included Sealant**
Superior Radiant Products	TXR-40, 60, 80, 100, 125, 150, 175, 205, 220	2SVSASR04 Secure with included screws and seal with Included Sealant**
Superior Radiant Products	UA-40, 60, 80, 100, 125, 150, 175, 205, 220	2SVSASR04 Secure with included screws and seal with Included Sealant**
Superior Radiant Products	UX-40, 60, 80, 100, 125, 150, 175, 205, 220	2SVSASR04 Secure with included screws and seal with Included Sealant**
Superior Radiant Products	UXR-40, 60, 80, 100, 125, 150, 175, 205, 220	2SVSASR04 Secure with included screws and seal with Included Sealant**
Takagi	T-K2, T-K1, T-K1S, TK jr,	2SVSNA04.5
Takagi	T-KD20, T-M1	2SVSNA04.5
Takagi	T-KJr2, T-K4, T-D2, T-H3, TK-540P	2SVBFDPA04

Canada: 452 Attwell Drive, Etobicoke, ON M9W 5C3 tel: 416.679.0045 • fax: 416.679.0051
U.S.A.: 20 Commerce Park North, Bedford, New Hampshire 03110 tel: 603.669.5136 • fax: 888.889.3539 • 800.654.5600

Z-VENT® Suggested Appliance Adaptors*

MANUFACTURER	MODEL	PART NUMBER
Takagi	T-M50	2SVBFDPA05
Thermal Solutions	AMP 1000, 1250, 1500, 2000	2SVSHF08
Thermal Solutions	AMP 2500, 3000	2SVSHF10
Thermal Solutions	AMP 3500, 4000	2SVSHF12
Thermal Solutions	APX 425C, 525C	2SVSR0403
Thermal Solutions	APX 425C, 525C	Standard Vent Pipe 4"
Thermal Solutions	APX 625C, 725C, 825C	2SVSR0604
Thermal Solutions	APX 625C, 725C, 825C	Standard Vent Pipe 6"
Thermal Solutions	ARC 1000	2SVSHF06
Thermal Solutions	ARC 1500, 2000	2SVSHF08
Thermal Solutions	ARC 2500, 3000	2SVSHF10
Thermal Solutions	Arctic ARC(3500,4000)	2SVSHF12
Thermal Solutions	Arctic ARC(4500,5000,5500,6000)	2SVSHF14
Thermal Solutions	EVA 1000, 1500, 2000, 2000S	2SVSHF06
Thermal Solutions	EVA 2500, 3000	2SVSHF08
Thermal Solutions	EVA 500, 750	2SVSHF04
Thermal Solutions	EVCA 3000	2SVSHF08
Thermal Solutions	EVCA 750, 1000, 1500, 2000	2SVSHF06
Thermal Solutions	EVO 1000, 1500, 2000	2SVSHF06
Thermal Solutions	EVO 500, 750	2SVSHF04
Thermal Solutions	Evolution EVH 1000-2000	S2SVSHF06 Sealant Required**
Thermal Solutions	Evolution EVH 250	2SVSHF03
Thermal Solutions	Evolution EVH 500 & 750	2SVSHF04 Sealant Required**
Thermal Solutions	EVS 1000, 1500, 2000, 2000S	2SVSHF06
Thermal Solutions	EVS 2500, 3000	2SVSHF08
Thermal Solutions	EVS 500, 750	2SVSHF04
Thermal Solutions	SOL 1250, 1500	2SVSHF10
Thermal Solutions	SOL 500	2SVSHF06
Thermal Solutions	SOL 750, 1000	2SVSHF08
Thermo-Cycler	GTR-486 & GTR-4807	2SVSA7.9FBS08 Seal with Included Sealant**
Trane	GN(N,P)E(010,012,015,017,020,025)	2SVASGPXF05
Trane	GN(N,P)E(030,035,040)	2SVASGPXF06
Trane	Unit Heaters - Fresh Air Intake Adaptor	2SVASGPI05 Seal with Included Sealant **
Trane	GT(N,P) E(003,004,006,007,009,010,120)	2SVASGPGG04 Seal with Included Sealant **
Trane	GU(N,P)E010-025	2SVASGPXF05
Trane	GU(N,P)E030-040	2SVASGPXF06
Triangle Tube	Delta Performance +	2SVSTA03
Triangle Tube	HM Series, Delta Performance,	2SVSTA03
Triangle Tube	Prestige Solo	2SVSTTA03, 04, 04.5

Z-VENT® Suggested Appliance Adaptors*

MANUFACTURER	MODEL	PART NUMBER
U.S. Boiler Company	ESC(3,4,5,6,7)C	Standard Vent Pipe 3" Sealant Required **
U.S. Boiler Company	ESC(8,9)C	Standard Vent Pipe 4" Sealant Required **
U.S. Boiler Company	X-PV(3,4,5,6,7)(N,P)	Standard Vent Pipe 3" Sealant Required **
U.S. Boiler Company	X-PV8(N,P)	Standard Vent Pipe 4" Sealant Required **
Utica Boilers	CuB, CCB-150 or CHB-100, 130, 150	2SVSA2.8MBS03 Seal with Included Sealant * *
Utica Boilers	DV, DVA 150-200, DVB 150-200	2SVSUBAF04
Utica Boilers	DV, DVA 38-125, DVB 50-125	2SVSUBAF03
Utica Boilers	SVB-2,3,4,5	2SVSADXEB3
Utica Boilers	SVB-6,7	2SVSADXEB3 & 2SVSI0304
Utica Boilers	USC Series	2SVSUBAF03
Utica Boilers	UHSW(42,75,112,150)	2SVSADXEB3
Utica Boilers	UHSW(187)	2SVSADXEB3 & 2SVSI0304
Viessmann	Vertomat VSB 17, 22, 28	2SVSA08
Viessmann	Vertomat VSB 37, 46, 57	2SVSA10
Viessmann	Vertomat VSB 72, 89	2SVSA12
Viessmann	Vitocrossal 200 CM2 186, 246, 311	2SVSAVCM8
Viessmann	Vitocrossal 200 CM2 400, 500, 620	2SVSAVCM10
Viessmann	Vitocrossal 200 CI2-(399, 500)	Standard Vent Pipe 4"
Viessmann	Vitocrossal 200 CI2-(750, 1000, 1500)	Standard Vent Pipe 6"
Viessmann	Vitocrossal 200 CI2-2000	Standard Vent Pipe 8"
Viessmann	Vitocrossal 300 CA3 2.5, 3.0	Standard Vent Pipe 10"
Viessmann	Vitocrossal 300 CA3 3.5, 4.0	Standard Vent Pipe 12"
Viessmann	Vitocrossal 300 CA3 5.0, 6.0	Standard Vent Pipe 16"
Viessmann	Vitocrossal 300 CA3B 2.5, 3.0	Standard Vent Pipe 10"
Viessmann	Vitocrossal 300 CA3B 3.5, 4.0	Standard Vent Pipe 12"
Viessmann	Vitocrossal 300 CA3B 5.0, 6.0	Standard Vent Pipe 16"
Viessmann	Vitocrossal 300 CU3A 26-94, 35-125	2SVSVB03S
Viessmann	Vitocrossal 300 CU3A 45-160, 57-199	2SVSVB04S
Viessmann	Vitodens 100-W B1HA 26-94, 35-125	2SVSVB23S
Viessmann	Vitodens 100-W B1KA 35-125	2SVSVB23S
Viessmann	Vitodens 100-W WB1B 26, 35	2SVSVB23S
Viessmann	Vitodens 100-W B1HE 85,120,150,199	2SVSVB03S
Viessmann	Vitodens 100-W B1KE 120,199	2SVSVB03S
Viessmann	Vitodens 100 B1HE 85, 120	2SVSVB32S for 2.4" Z-VentBLU
Viessmann	Vitodens 100 B1KE 120	2SVSVB32S for 2.4" Z-VentBLU
Viessmann	Vitodens 200 B2HE 85, 120	2SVSVB32S for 2.4" Z-VentBLU
Viessmann	Vitodens 200 B2HE 85,120,150,199	2SVSVB03S
Viessmann	Vitodens 200 WB2 11-44, 15-60	2SVSVB04S

Canada: 452 Attwell Drive, Etobicoke, ON M9W 5C3 tel: 416.679.0045 • fax: 416.679.0051
U.S.A.: 20 Commerce Park North, Bedford, New Hampshire 03110 tel: 603.669.5136 • fax: 888.889.3539 • 800.654.5600

Z-VENT® Suggested Appliance Adaptors*

MANUFACTURER	MODEL	PART NUMBER
Viessmann	Vitodens 200-W B2HA 19, 28, 35	2SVSVB23S
Viessmann	Vitodens 200-W B2HA 45, 60	2SVSVB03S
Viessmann	Vitodens 200-W B2HA 80-285, 88-311, 100-352, 112-399, 150-530	2SVSVB04S
Viessmann	Vitodens 200-W B2HB 19-68, 26-94, 35-125	2SVSVB23S
Viessmann	Vitodens 200-W B2HB 45-160, 57-199	2SVSVB03S
Viessmann	Vitodens 200-W WB2B 19, 26, 35	2SVSVB23S
Viessmann	Vitodens 200-W WB2B 45, 60	2SVSVB03S
Viessmann	Vitodens 200-W WB2B 80, 105	2SVSVB04S
Viessmann	Vitodens 222-F B2TA 19, 35	2SVSVB23S
Viessmann	Vitodens 222-F B2TB 19-68, 35-125	2SVSVB23S
Viessmann	Vitogas 050 ECV 65,80,100,115,140,155,180,200	2SVSVB03
Viessmann	Vitogas 100 GS10-72	2SVSA08
Viessmann	Vitogas 100 GS10-84	2SVSA09
Viessmann	Vitogas 100 GS10-96	2SVSA10
Wai Wela	PH 16, PH 20	2SVPA03
Wai Wela	PH-28	2SVSNA04.5
Weben Jarco	E-Finiti E_125, E_150	2SVSA08
Weben Jarco	E-Finiti E_175, E_200	2SVSA10
Weben Jarco	E-Finiti E_20	2SVSNA03.5
Weben Jarco	E-Finiti E_40, E_60	2SVSNA04.5
Weben Jarco	E-Finiti E_75, E_100	2SVSA06
Weben Jarco	Vision 3000-1000	Standard Vent Pipe 8"
Weben Jarco	Vision 3000-1500 & 2000	Standard Vent Pipe 10"
Weben Jarco	Vision 3000-750	Standard Vent Pipe 6"
Weil McLain	88 Series 3 Water Boiler - Gas Fired 488-588	2SVSAFNS10
Weil McLain	88 Series 3 Water Boiler - Gas Fired 688-788	2SVSAFNS12
Weil McLain	88 Series 3 Water Boiler - Gas Fired 888-1088	2SVSAFNS14
Weil McLain	88 Series 3 Water Boiler - Gas Fired 1188-1388	2SVSAFNS16
Weil McLain	88 Series 3 Water Boiler - Gas Fired 1488-1788	2SVSADS18 Seal with Included Sealant**
Weil-McLain	88 Series 3 Water Boiler - Gas Fired 1888	2SVSADS20 Seal with Included Sealant **
Weil-McLain	AquaBalance WMB-80, 120, 155	2SVSTTA03
Weil-McLain	CGs, CGI, CGt,	2SVEWMFA03
Weil-McLain	ECO 70-155	2SVSTTA03

Z-VENT® Suggested Appliance Adaptors*

MANUFACTURER	MODEL	PART NUMBER
Weil McLain	Eco Tec (80, 110, 150, 199) Series 2	2SVSAFNS03
Weil-McLain	EVG 220-399	2SVSTTA04.5
Weil-McLain	GV Series 1 & 2	2SVEMGVX03
Weil-McLain	GV Series 3, 4	2SVEVST03
Weil-McLain	GV90+3/4/5/6	2SVSTTA03
Weil-McLain	LGB Series 3 LGB-4	2SVSAFNS10
Weil-McLain	LGB Series 3 LGB-5, 6, 7	2SVSAFNS12
Weil-McLain	LGB Series 3 LGB-8, 9	2SVSAFNS14
Weil-McLain	LGB Series 3 LGB-10, 11, 12	2SVSAFNS16
Weil-McLain	LGB Series 3 LGB-14	2SVSAFNS12 & 2SVSAFNS14
Weil-McLain	LGB Series 3 LGB-16	2SVSAFNS14 (2 Required)
Weil-McLain	LGB Series 3 LGB-18	2SVSAFNS14 & 2SVSAFNS16
Weil-McLain	LGB Series 3 LGB-20	2SVSAFNS16 (2 Required)
Weil-McLain	SF550-750	2SVSACPVC6
Weil-McLain	SF1000	2SVESFA1006
Weil-McLain	SF1000-2000	2SVESFA1008
Weil-McLain	SF1000-2000 Category II Vent	2SVESFA1010
Weil-McLain	SVF, SVF500-600	2SVSPVC04
Weil-McLain	SVF, SVF725-850-1000	2SVSPVC06
Weil-McLain	SVF, SVF750-1100	2SVSTTA06
Weil McLain	SVF, SVF1500-2000	2SVSAFNS08
Weil McLain	SVF, SVF2500-3000	2SVSAFNS10
Weil-McLain	SVF Series 1, SVF1500-2000	2SVSAFNS08
Weil-McLain	SVF Series 1, SVF2500-3000	2SVSAFNS10
Weil-McLain	Ultra 230-399 CT	2SVSTTA04.5
Weil-McLain	Ultra 80-155 CT	2SVSTTA03
Weil-McLain	WM97+ 70-155 CT	2SVSTTA03
Williamson Thermoflo	GWI Series	2SVEWMFA03
Westinghouse	HW180	2SVSAF3F3 Seal & Secure with Included Sealant & Screws **

Canada: 452 Attwell Drive, Etobicoke, ON M9W 5C3 tel: 416.679.0045 • fax: 416.679.0051
U.S.A.: 20 Commerce Park North, Bedford, New Hampshire 03110 tel: 603.669.5136 • fax: 888.889.3539 • 800.654.5600

Z-VENT® Suggested Appliance Adaptors*

DESCRIPTION	PART NUMBER
Connects 3" Z-Vent® to Safety Vent co-axial vent termination	2SVSSVA03
Connects Z-Vent® to Slant-Fin's horizontal vent termination(part # 665-191)	2SVSSLA1
Appliance with CPVC/PVC Coupling to Z-Vent®	2SVSACPVC(2.4,23,3,4,6,8)
Appliance with CPVC/PVC Pipe to Z-Vent®	2SVSACPVCF(2.4,3,4,6,8)
Appliance with DuraSeal to Z-Vent®	2SVSADS(18,20)
Appliance with Gasket & Clamp for CPVC/PVC Pipe x 2" Long Male to Z-Vent®	2SVSTTA(023,03,04.5,06)
Appliance with Gasket & Clamp for CPVC/PVC Pipe x 4" Long Male to Z-Vent®	2SVSPVC(03,04,06)
Appliance with SafTVent to Z-Vent®	2SVSHF(03,04,05,06,07,08,09,10,12,14)
Appliance with FasNSeal to Z-Vent®	2SVSAFNS(03,04,05,06,07,08,09,10,12,14,16)
Z-DENS to Z-Vent®	2ZD2ZV(3,4,6,8)
Z-Vent® to Z-DENS	2ZDZV(3,4,6,8)

**Z-Vent® Sealant high temperature silicone sealant required to adapt some pipe to certain flues	2SILRRTV106X
**Stainless Steel Self-Drilling Screws	2SSSCREW

- Information subject to change without notice.
- Consult appliance manufacturer for additional information regarding Z-VENT® approvals of vent and or air for U.S. and or Canada.
- Support vent and air piping within 1ft of appliance adaptors to avoid applying weight to these connections.
- Install carbon monoxide detector and alarms in accordance with local codes.
- Z-VENT®, Z-VentBlu® and NovaVent® are all UL1738 & ULC-S636 listed under UL file MH18505 and all utilizes the appropriate Z-VENT® adaptor.
- Contact Z-Flex® U.S. Inc. at (800) 654-5600 if there is any concerns with suggested adaptor, or if you require any additional information.

The information provided within is for informational purposes only. We have made every effort to ensure the accuracy of the provided information and assume no responsibility for any loss or damage due to errors or omissions or to the use or misuse of any information supplied. It is impossible to test all products under all conditions to which they might be subjected in the field. It is therefore the buyer and/or end users' responsibility to test all products under the conditions that duplicate the service conditions prior to installation. All improvements, all specifications are subject to change without prior notice. It is the buyer and/or end users' responsibility to review our complete **Terms and Conditions of Sale** located on our web sites at:
www.novaflex.com | www.z-flex.com | www.flexmaster.com.